



NORTH CENTRAL FLORIDA CANCER REPORT 2016

DATA COVERING THE NORTH CENTRAL FLORIDA CANCER
CONTROL COLLABORATIVE REGION

This page intentionally left blank.



Table of Contents

Introduction _____	3
North Central Florida Cancer Control Collaborative _____	3
Lead Agency _____	3
Executive Summary _____	4
Notes _____	5
All Cancer Incidence Rates _____	6
Bladder Cancer _____	9
Brain Cancer _____	12
Breast Cancer _____	15
Cervical Cancer _____	18
Colorectal Cancer _____	21
Esophagus Cancer _____	24
Head/Neck Cancer _____	27
Hodgkin’s Lymphoma _____	30
Leukemia _____	33
Lung/Bronchus Cancer _____	36
Liver and Intrahepatic Bile Ducts Cancer _____	39
Non-Hodgkin’s Lymphoma _____	42
Oral Cancer _____	45
Ovarian Cancer _____	48
Pancreatic Cancer _____	51
Prostate Cancer _____	54
Stomach Cancer _____	57
Age-Adjusted Cancer Death Rates by Race _____	60
Age-Adjusted Death Rates of Cancer for White Residents _____	62
Age-Adjusted Death Rates of Cancer for Black Residents _____	64
Age-Adjusted Death Rates of Cancer for Hispanic Residents _____	66
Age-Adjusted Death Rates of Cancer for Males _____	68
Age-Adjusted Death Rates of Cancer for Females _____	70
Behavioral Risk Factor Data (BRFSS) _____	72



Adult Health Cancer Screenings _____	72
Women’s Health Cancer Screenings _____	76
Men’s Health Cancer Screenings _____	80
Cancer Discharges _____	82
Cancer-Related Emergency Room Visits (ED Visits) _____	87
Medical Oncology Discharges _____	92



Introduction

NORTH CENTRAL FLORIDA CANCER CONTROL COLLABORATIVE

The purpose of the North Central Florida Cancer Control Collaborative (NCFCCC) is to improve access to cancer care and reduce the burden of cancer on residents of North Central Florida. The NCFCCC target area includes 11 predominantly rural counties: Alachua, Bradford, Dixie, Gilchrist, Lafayette, Levy, Union, Putnam, Columbia, Hamilton, and Suwannee. In some of the most rural counties 21 percent of residents live below the poverty level and rates of uninsured residents are as high as 28 percent.

It is critical that rural settings become a focus of cancer control efforts since the epidemiological evidence is clear that rural populations experience disproportionately higher mortality rates from certain cancers. The highest cancer mortality rates in the state of Florida are concentrated in our target area.

Active NCFCCC members include safety net healthcare facilities (i.e., Federally-Qualified Health Centers, County Health Departments, rural health clinics, and a rural volunteer clinic), rural primary care practices, hospices, hospitals, and a variety of community stakeholder groups.

NCFCCC, with support from Florida Department of Health Cancer Control Program will work to promote effective strategies for preventing and controlling cancer and providing support to cancer patients, survivors and caregivers in our rural communities.

The NCFCCC serves as a networking, educational and community action venue for all who are committed to reducing the burden of cancer in north central Florida. NCFCCC seeks to provide the infrastructure and technical support to NCFCCC members to enhance the competency of stakeholders, especially in rural counties, to reduce the burden of cancer for their citizens through the development of a regional comprehensive cancer control program.

LEAD AGENCY

WellFlorida Council, Inc. is a private, non-profit organization designated by the State of Florida Department of Health as the lead agency for the North Central Florida Cancer Control Collaborative (NCFCCC) funding and coordination. As the fiscal agent and coordinator of the NCFCCC, WellFlorida Council coordinates quarterly meetings, continuing education unit opportunities, strategic planning, and maintenance of the NCFCCC website, blog, listserv and cancer resource guide.

The purpose of this report is to provide data to assist members of the NCFCCC in establishing priorities and strategic planning guidance for future cancer control activities in the NCFCCC Region.



Executive Summary

The Executive Summary provides a narrative summary of the data presented in the North Central Florida Cancer Report 2016. This includes a brief summary of cancer incidence rates, age-adjust death rates, Behavioral Risk Factor Surveillance System data, cancer-related emergency room visit data and medical oncology discharge data. When data are available, a comparison is provided with the state of Florida. It is important to note that Alachua County is the most populous county in the NCFCCC Region while Union County is the least.

CANCER INCIDENCE RATES

The average number of cancer incidence rates per 100,000 are provided in tables 1-18 by race and ethnicity for all types of cancers, breast cancer, brain cancer, cervical cancer, head/neck cancer, esophagus cancer, lung/bronchus cancer, colorectal cancer, prostate cancer, oral cancer, non-Hodgkin's lymphoma, bladder cancer, oral cancer, ovary cancer, pancreas cancer, prostate cancer, stomach cancer and liver cancer. The tables indicate incidence rates in Alachua, Bradford, Columbia, Dixie, Gilchrist, Hamilton, Lafayette, Levy, Putnam, Suwannee and Union counties and Florida. All Cancer incidence rates in the NCFCCC Region are lower than the incidence rates for the state of Florida in every county except Union, Putnam, Hamilton, and Alachua County. According to the data, in 2014, Union County has a disproportionately higher all cancer incidence rate than Florida (926.3 and 381.6 respectively).

AGE-ADJUSTED TOP CANCER DEATH RATES

The age adjusted rates per 100,000 population for the top cancer type deaths for All Races, Whites, Blacks, Hispanics, Males, and Females in each of the NCFCCC Region counties, the NCFCCC Region with Alachua County included, the NCFCCC Region without Alachua County included, and Florida are displayed in tables 19-24.

In the NCFCCC Region, the age adjusted death rate for all cancers (179.7) is 27% higher than in Florida (141.0). Additionally, Trachea, Bronchus Lung Cancer is ranked first in the top ten cancer type deaths in the NCFCCC Region. Compared to Florida (43.4), Trachea, Bronchus Lung Cancer age-adjusted death rate (61.8) is 42% higher in the NCFCCC Region. Bladder Cancer is ranked last in the top ten cancer type deaths in the NCFCCC Region, however the age adjusted death rate at 5.2 is 15% higher than in the state of Florida at 4.5.

The age-adjusted death rates for all cancers among Black NCFCCC residents at 202.2 is 44% higher than Florida's rate at 139.9. In Black residents in the NCFCCC Region, the age-adjusted death rate of cancer is higher in each top ten cancer type except for Leukemia. Trachea, Bronchus Lung Cancer death rates are significantly higher in Black NCFCCC residents at 61.7 than Florida at 33.3.

In White NCFCCC residents, the age-adjusted death rates are higher in every top ten cancer type. The age-adjusted death rate in all cancers is 25% higher in White NCFCCC Residents at 178.9 than Florida at 142.2. Additionally, in White NCFCCC residents, the age-adjusted death rate for Lip, Oral Pharynx Cancer is 65% higher than the state (4.7 and 2.8 respectively).



BEHAVIORAL RISK FACTOR DATA (BRFSSS)

The Behavioral Risk Factor Surveillance System (BRFSS) is a state-based system of health surveys that collects information on health risk behaviors, preventative health practices and health care access related to chronic disease and injury.

Health behaviors not only contribute to health status, but they can be viewed as health outcomes unto themselves. Health behaviors are a major reflection of personal choice and they can often also be indicators or markers for health system performance.

The BRFSS survey was conducted among adults (over 18) in Florida in 2002, 2007, 2010 and 2013. The purpose was to compare health cancer screenings amongst selected adults. Tables 25-27 highlight selected BRFSS indicators for the 11 NCFCCC counties and the state of Florida.

CANCER-RELATED EMERGENCY ROOM VISITS (ED VISITS)

Tables 32-35 demonstrate the incidence rates of ER visits related to cancer by county, race, gender and age. The incidence rate of cancer-related ER visits in the NCFCCC Region from 2012-2014 was 30.5 and in the NCFCCC Region without Alachua County was 43.0, both of which are higher than the state incidence rate of 23.5 per 100,000. According to this data, in the NCFCCC Region, Black residents visit the ER more often than White residents. In the NCFCCC Region with Alachua County and without Alachua County, males visit the ER due to a cancer-related illness more than females and residents 65+ years of age are more likely to visit the ER than any other age-group.

MEDICAL ONCOLOGY

The medical oncology discharges by diagnosis-related group (DRG) for each of the NCFCCC Region counties, the NCFCCC Region with Alachua County included, the NCFCCC Region without Alachua County and Florida are identified in tables in this report. Tables 36-49 include the number of discharges, patient days and average length of stay (ALOS).

The average length of stay was longest in both the NCFCCC Region and Florida for Allogenic Bone Marrow Transplants (44.1 in the NCFCCC Region and 32.6 in Florida). The highest number of medical oncology discharges in each of the NCFCCC Region Counties and Florida consistently occurred for Red Blood Cell Disorders.

NOTES

Please note in the tables that if there is a dash (--), then there were no incidences for that particular type of cancer for that race or ethnicity for that particular year.

Please note in the NCFCCC Region, every county but Levy County has a Department of Corrections Facility. Those facilities include work camps, correctional institutions, reception centers, work releases or state prisons. Reception and Medical Center (RMC) in Union County contains a licensed hospital that provides cancer treatments for the majority of prisoners. Prison deaths are included in the total death counts for each county.



All Cancer Incidence Rates

TABLE 1. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ALL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	508.9	527.2	472.7	371.9	377.0	376.9	319.4	759.7
2006	443.3	468.3	389.8	253.8	352.3	372.3	309.5	-
2007	519.3	530.0	520.1	368.9	405.3	409.6	505.5	-
2008	497.8	488.4	558.4	243.4	461.0	445.2	619.7	225.0
2009	484.0	483.6	544.8	349.7	416.1	419.7	313.7	-
2010	469.2	468.4	555.1	380.4	373.8	364.4	430.0	-
2011	475.0	488.4	489.8	235.1	422.6	466.5	258.9	201.6
2012	466.9	487.0	457.8	290.5	379.7	379.5	460.5	-
2013	476.5	511.2	440.6	353.5	420.8	427.3	428.2	-
2014	388.2	388.9	432.1	160.3	338.9	345.8	359.0	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	477.1	481.0	432.8	238.6	461.8	486.3	158.9	993.9
2006	428.7	450.7	270.5	281.2	444.2	437.4	695.0	775.4
2007	440.6	452.0	415.3	269.7	402.2	405.1	406.3	-
2008	505.1	514.9	473.1	278.7	368.1	368.4	283.5	529.5
2009	442.1	437.3	531.6	85.9	430.8	423.5	337.9	337.5
2010	438.5	443.9	433.1	109.7	377.5	377.2	198.0	-
2011	449.0	468.1	371.7	200.7	468.9	488.5	318.0	1,900.2
2012	441.1	453.1	456.8	269.4	470.4	472.4	356.3	-
2013	423.6	427.6	488.4	296.4	417.5	432.3	233.4	-
2014	374.9	380.0	376.1	221.4	331.0	342.6	163.2	193.9

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 1 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ALL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	479.0	478.1	294.9	216.3	438.0	506.5	235.3	70.8
2006	388.5	397.9	153.0	300.5	510.4	522.5	456.3	589.8
2007	502.3	516.5	-	323.3	511.0	535.0	456.0	97.4
2008	442.5	426.7	841.2	638.6	486.0	480.1	606.2	63.1
2009	472.3	489.4	-	-	439.4	414.4	479.7	61.7
2010	370.2	381.4	230.7	211.8	345.7	397.9	242.3	-
2011	412.2	423.5	375.2	-	369.4	357.6	385.4	293.4
2012	462.2	460.3	421.5	167.2	299.2	295.1	309.8	278.3
2013	444.9	437.5	356.8	190.4	389.0	422.1	294.8	155.2
2014	362.9	374.1	242.3	-	402.0	337.0	549.7	272.7
Year	Lafayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	301.3	321.7	-	-	483.4	508.4	171.4	152.9
2006	203.8	217.8	-	-	429.6	426.7	541.7	87.1
2007	309.4	313.0	196.0	298.4	385.1	367.8	576.1	77.9
2008	306.1	296.0	323.3	242.3	427.6	422.1	536.1	299.6
2009	438.6	428.9	1,642.1	-	489.9	507.6	258.1	185.6
2010	208.7	210.2	204.2	-	407.9	421.5	304.0	227.7
2011	305.8	302.5	168.7	457.3	437.5	441.2	496.6	313.1
2012	170.7	164.3	-	114.0	421.4	430.7	446.0	216.4
2013	280.8	269.2	1,080.0	-	445.7	452.8	259.2	234.8
2014	180.6	189.9	-	380.7	355.3	362.1	272.0	118.9

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 1 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ALL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	461.4	444.8	473.1	250.8	505.3	520.5	386.3	385.0
2006	457.2	449.9	471.4	301.2	471.7	454.5	648.2	468.0
2007	482.0	490.6	426.1	240.4	450.6	449.1	561.8	737.9
2008	469.3	466.6	386.4	162.6	444.3	460.8	319.4	630.9
2009	453.5	447.1	486.3	190.7	439.2	444.1	287.8	69.4
2010	491.7	506.5	435.7	307.8	399.1	395.1	444.7	98.0
2011	505.1	515.9	481.5	407.7	407.1	414.1	361.5	18.6
2012	443.3	446.5	429.1	220.2	371.2	373.0	318.3	115.1
2013	479.3	467.6	428.4	417.0	428.0	441.1	399.8	153.4
2014	438.9	449.9	287.1	397.8	353.5	368.7	283.1	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	1,158.8	1,018.3	1,831.1	1,773.6	452.3	451.6	429.1	362.2
2006	1,249.0	1,151.6	1,702.2	562.9	433.1	432.5	406.8	356.3
2007	1,298.3	1,029.5	2,653.1	5,008.7	441.2	436.7	444.6	353.8
2008	1,146.3	967.4	1,971.5	1,818.5	437.5	432.7	454.2	351.2
2009	1,358.1	1,035.8	2,746.3	2,002.5	432.2	428.2	429.8	355.3
2010	1,098.6	980.1	1,551.3	1,483.5	424.6	427.2	433.7	350.8
2011	1,345.3	1,148.5	2,145.7	2,115.0	431.6	434.7	441.6	354.8
2012	1,212.6	1,093.9	1,993.1	1,197.1	424.6	429.7	416.8	334.3
2013	1,149.3	911.9	1,785.3	1,413.7	425.8	430.1	413.6	338.3
2014	926.3	870.8	1,233.4	1,379.0	381.6	383.6	361.0	274.7

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



BLADDER CANCER

TABLE 2. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BLADDER CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	22.3	26.6	4.2	-	26.3	25.6	34.2	-
2006	13.4	14.5	9.7	-	7.1	8.1	-	-
2007	20.8	23.1	13.0	-	26.5	29.5	-	-
2008	21.2	23.1	15.7	-	9.4	10.9	-	-
2009	16.8	16.8	21.1	21.9	12.1	13.6	-	-
2010	18.8	22.3	5.1	31.9	5.7	6.4	-	-
2011	18.7	21.2	10.7	-	23.8	28.6	-	-
2012	23.3	26.0	11.7	7.7	10.0	11.4	-	-
2013	16.0	18.0	8.9	35.3	18.9	21.4	-	-
2014	14.4	16.8	3.0	-	11.2	12.5	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	17.3	17.1	19.4	-	13.4	13.9	-	-
2006	17.6	18.7	9.6	-	18.9	16.1	99.5	-
2007	12.8	14.6	-	-	15.8	12.4	113.5	-
2008	19.4	19.0	29.2	-	7.8	8.1	-	-
2009	15.5	14.9	22.5	-	5.6	6.0	-	-
2010	17.5	17.1	13.7	-	14.7	16.7	-	-
2011	17.8	19.6	8.8	61.5	22.7	23.6	-	775.4
2012	24.6	26.7	11.1	45.8	27.9	29.4	-	-
2013	10.6	10.7	14.6	-	20.9	22.7	-	-
2014	11.4	13.2	-	-	15.6	16.4	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 2 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BLADDER CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	23.4	24.0	-	-	15.3	10.3	18.6	-
2006	36.4	37.8	-	-	13.6	7.9	35.7	-
2007	33.2	34.1	-	-	-	-	-	-
2008	11.5	11.8	-	-	25.5	32.7	-	-
2009	22.1	22.9	-	-	7.8	10.1	-	-
2010	20.8	21.6	-	-	8.0	10.0	-	-
2011	17.8	18.6	-	-	4.2	5.6	-	-
2012	12.7	13.2	-	-	-	-	-	-
2013	18.1	18.7	-	-	4.5	6.4	-	-
2014	10.2	10.7	-	-	-	-	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	27.9	30.0	-	-
2006	-	-	-	-	19.5	21.1	-	-
2007	25.9	28.4	-	-	19.7	19.5	-	-
2008	-	-	-	-	24.8	26.8	-	-
2009	23.5	24.0	-	-	27.1	29.4	-	57.6
2010	-	-	-	-	17.4	17.9	20.2	-
2011	-	-	-	-	28.8	31.6	-	-
2012	-	-	-	-	16.0	17.6	-	-
2013	-	-	-	-	20.6	22.5	-	-
2014	9.7	10.6	-	-	13.1	12.8	24.4	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 2 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BLADDER CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	21.9	22.8	-	-	28.9	29.5	28.3	-
2006	15.2	17.0	-	-	17.6	15.3	20.5	-
2007	21.2	22.0	7.1	-	24.7	22.6	52.9	-
2008	25.9	27.0	7.9	-	12.2	13.6	-	-
2009	12.8	12.4	19.0	-	13.6	14.7	-	-
2010	18.8	20.2	9.5	-	9.6	8.7	-	-
2011	22.8	23.9	16.5	-	12.5	12.1	-	-
2012	19.0	21.8	-	-	16.3	17.9	-	-
2013	19.5	20.4	18.2	47.3	16.2	18.1	-	-
2014	16.7	18.2	6.2	-	12.1	13.4	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	39.3	47.8	-	-	21.4	22.2	9.2	14.6
2006	26.6	24.9	31.2	-	19.2	19.9	7.6	11.3
2007	50.2	45.3	57.2	-	19.5	20.2	8.6	11.5
2008	40.0	39.6	-	-	18.8	19.5	10.1	12.2
2009	58.7	56.5	66.9	-	19.4	20.1	9.0	13.8
2010	45.7	53.6	15.0	136.1	18.9	19.9	8.8	13.9
2011	78.7	82.1	49.4	-	19.3	20.4	9.9	11.5
2012	27.5	34.6	-	-	19.3	20.5	8.2	12.0
2013	34.5	41.2	-	-	18.7	19.8	9.4	11.6
2014	38.7	45.8	28.6	-	16.2	17.1	7.3	8.9

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



BRAIN CANCER

TABLE 3. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BRAIN CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	7.9	6.7	13.2	-	-	-	-	-
2006	6.5	7.8	3.0	17.2	3.3	5.0	-	-
2007	3.9	5.0	-	-	3.5	3.8	-	-
2008	3.6	4.1	2.4	-	14.0	17.5	-	-
2009	4.0	4.5	2.0	-	5.4	6.5	-	-
2010	5.8	5.9	7.8	9.0	5.9	6.6	-	-
2011	4.9	6.0	2.5	-	14.8	19.2	-	-
2012	7.2	7.9	6.5	-	8.3	10.3	-	-
2013	7.6	9.4	4.8	-	2.6	2.9	-	-
2014	7.0	8.9	-	-	-	-	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	4.1	4.6	-	-	6.9	7.5	-	-
2006	4.5	3.1	7.8	-	-	-	-	-
2007	9.1	11.2	-	-	7.2	8.1	-	-
2008	10.7	10.9	8.8	-	-	-	-	-
2009	6.0	7.0	-	-	7.4	8.2	-	-
2010	4.5	5.8	-	-	3.0	3.2	-	-
2011	3.5	4.3	-	-	3.0	3.2	-	-
2012	8.4	10.0	-	-	3.0	3.1	-	-
2013	7.6	9.2	-	46.0	13.1	4.7	62.1	-
2014	7.2	6.5	-	-	2.9	3.0	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 3 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BRAIN CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	7.5	8.1	-	-	7.0	11.2	-	70.8
2006	7.3	7.9	-	-	-	-	-	-
2007	8.9	9.1	-	-	-	-	-	-
2008	11.4	12.0	-	-	5.4	7.4	-	-
2009	4.5	4.6	-	-	-	-	-	-
2010	-	-	-	-	12.7	20.3	-	-
2011	13.2	9.8	230.7	-	-	-	-	-
2012	5.0	5.2	-	-	-	-	-	-
2013	8.4	8.8	-	-	9.2	15.0	-	-
2014	3.3	3.4	-	-	-	-	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	11.8	13.3	-	-
2006	-	-	-	-	4.6	4.9	-	-
2007	-	-	-	-	3.0	3.2	-	-
2008	-	-	-	-	2.9	3.5	-	-
2009	-	-	-	-	4.6	4.9	-	-
2010	-	-	-	-	2.0	2.2	-	-
2011	18.9	23.5	-	-	11.6	12.9	-	-
2012	-	-	-	-	9.5	10.6	-	-
2013	-	-	-	-	5.6	2.4	-	-
2014	-	-	-	-	1.4	1.6	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 3 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BRAIN CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	10.4	11.9	-	-	11.4	13.4	-	-
2006	7.8	9.1	-	-	6.8	7.8	-	21.9
2007	4.4	4.9	-	-	3.2	3.9	-	-
2008	5.4	6.5	-	-	6.8	7.4	-	-
2009	8.8	8.8	8.8	7.3	3.6	3.8	-	-
2010	8.9	9.2	6.7	-	9.0	7.7	19.8	-
2011	9.6	12.0	-	-	8.3	7.3	18.8	18.6
2012	3.1	1.4	-	-	4.3	5.0	-	-
2013	5.4	5.1	9.9	-	4.6	5.2	-	-
2014	6.5	7.7	-	-	13.2	11.5	23.4	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	6.8	7.1	3.6	5.1
2006	14.4	17.6	-	-	6.4	6.8	3.4	6.1
2007	32.3	25.6	43.7	-	6.7	6.9	4.0	6.0
2008	15.5	20.9	-	-	6.5	6.8	4.4	5.2
2009	12.6	17.0	-	-	6.6	6.9	3.9	5.2
2010	34.8	25.4	54.6	-	6.4	7.0	3.6	5.7
2011	21.7	18.7	30.4	-	6.4	7.0	4.3	5.9
2012	18.4	24.2	-	-	6.2	6.6	4.5	4.9
2013	17.1	9.3	36.1	-	6.6	7.2	4.1	5.4
2014	24.9	26.1	18.7	-	5.7	6.1	4.1	4.4

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



BREAST CANCER

TABLE 4 AGE ADJUSTED RATES PER 100,000 POPULATION FOR BREAST CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	81.6	85.7	69.0	34.9	49.3	45.3	57.3	-
2006	65.4	74.3	35.9	39.9	19.0	24.1	-	-
2007	66.5	67.4	69.7	29.4	31.8	31.6	35.7	-
2008	74.8	72.3	91.1	30.6	60.4	38.8	222.6	-
2009	78.4	78.7	80.6	40.9	44.6	48.5	21.8	-
2010	76.3	74.3	83.6	68.1	33.3	28.1	54.2	-
2011	68.3	70.2	77.9	41.5	51.1	61.4	-	-
2012	75.1	78.9	73.5	59.1	44.6	42.6	31.3	-
2013	84.0	94.1	59.9	63.0	43.2	45.3	52.8	-
2014	68.4	73.6	55.3	73.9	47.5	49.7	67.0	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	48.7	48.0	56.7	60.3	68.5	74.3	-	-
2006	40.2	41.9	34.5	49.0	40.9	42.5	-	775.4
2007	47.1	42.1	75.1	-	71.9	60.4	94.6	-
2008	60.3	58.5	84.9	92.9	34.8	37.2	-	-
2009	35.8	34.6	30.3	43.0	36.7	33.7	-	-
2010	58.2	58.6	67.2	-	68.3	73.4	-	-
2011	61.4	61.9	65.5	-	52.1	49.9	192.3	-
2012	63.9	57.9	112.6	-	63.9	57.1	133.0	-
2013	60.6	53.0	122.1	30.3	27.9	30.4	-	-
2014	47.9	51.3	40.5	39.7	38.4	39.0	77.6	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 4 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BREAST CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	63.8	66.1	-	216.3	38.0	42.9	24.7	-
2006	52.6	55.0	-	300.5	46.5	34.6	60.0	352.7
2007	84.6	87.1	-	-	54.2	42.1	76.7	-
2008	55.9	57.6	-	-	62.9	48.6	116.4	-
2009	50.5	52.1	-	-	68.8	58.2	56.4	-
2010	58.1	60.2	-	-	66.5	60.8	82.5	-
2011	68.6	71.5	-	-	42.9	49.1	34.0	-
2012	78.0	70.3	242.3	-	40.0	39.0	38.6	-
2013	48.4	50.3	-	190.4	34.7	26.4	47.3	-
2014	68.0	71.6	-	-	93.6	62.3	158.0	272.7
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	47.0	52.2	-	-	64.3	64.0	32.1	-
2006	36.9	39.7	-	-	61.7	65.3	31.5	-
2007	38.2	23.5	196.0	-	39.7	33.1	78.6	-
2008	80.1	72.3	323.3	242.3	56.0	55.9	51.2	55.3
2009	10.1	-	215.5	-	65.2	64.9	70.3	-
2010	37.4	40.0	-	-	32.0	35.4	-	34.3
2011	63.4	70.5	-	-	46.5	46.4	16.4	61.5
2012	20.8	22.0	-	-	56.3	59.0	44.9	32.9
2013	52.6	54.9	-	-	63.7	59.0	59.3	34.3
2014	9.7	10.6	-	-	33.1	33.4	31.9	65.4

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 4 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR BREAST CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	52.3	54.3	45.8	92.6	71.0	73.6	45.1	153.6
2006	61.7	61.8	61.1	32.5	49.2	42.4	127.3	-
2007	55.7	61.8	26.4	22.9	47.0	40.2	127.3	-
2008	52.6	56.5	25.7	-	65.1	68.7	39.0	164.5
2009	55.6	57.4	37.7	27.3	55.1	56.0	44.3	41.4
2010	65.2	63.4	86.7	-	52.0	50.7	59.1	-
2011	61.9	62.5	47.7	-	52.1	54.9	35.3	-
2012	50.7	48.2	35.2	-	48.5	38.5	105.9	-
2013	64.0	71.9	12.7	40.8	52.3	51.9	76.7	-
2014	62.1	69.8	22.1	-	39.9	45.3	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	69.3	78.3	17.6	-	59.1	59.9	48.3	45.4
2006	89.1	105.7	24.0	-	58.6	58.6	51.4	46.0
2007	80.7	74.7	179.7	-	59.9	58.8	59.4	46.5
2008	32.3	21.2	90.2	-	60.6	59.6	59.5	45.0
2009	101.0	86.7	197.7	-	60.9	59.9	58.9	46.9
2010	49.8	63.4	-	136.6	60.1	60.2	58.4	45.5
2011	71.9	67.7	73.4	109.1	60.6	60.5	61.7	46.3
2012	92.1	103.7	57.8	-	62.4	62.5	60.1	47.4
2013	69.4	58.4	91.4	-	62.6	62.4	59.7	46.0
2014	33.9	44.2	-	118.2	58.8	58.7	54.3	41.0

Source: Florida Cancer Data System, <https://fcds.med.miami.edu/scripts/flncdsubrates/production/doSelection.aspx?selection=map>, assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



CERVICAL CANCER

TABLE 5. AGE ADJUSTED RATES PER 100,000 POPULATION FOR CERVICAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	5.6	3.3	10.2	-	6.9	-	16.8	-
2006	5.1	3.6	12.4	-	-	-	-	-
2007	5.8	5.4	8.5	-	10.0	13.7	-	-
2008	2.1	2.7	-	-	14.4	19.8	-	-
2009	4.7	5.0	5.0	7.8	-	-	-	-
2010	3.9	4.0	5.0	8.1	10.9	14.3	-	-
2011	4.5	4.5	5.6	-	7.6	9.8	-	-
2012	3.9	4.4	3.1	7.6	6.8	8.9	-	-
2013	5.1	4.2	9.1	-	3.8	5.1	-	-
2014	2.6	3.0	1.7	-	4.9	3.0	18.0	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	5.5	6.4	-	-	6.9	7.5	-	-
2006	4.3	2.6	17.7	-	3.8	4.0	-	-
2007	10.2	8.6	18.2	-	8.1	10.3	-	-
2008	5.1	6.3	-	-	5.2	5.6	-	-
2009	5.7	7.2	-	-	-	-	-	-
2010	1.0	1.1	-	-	-	-	-	-
2011	5.7	7.1	-	-	-	-	-	-
2012	3.1	3.6	-	-	-	-	-	-
2013	0.9	-	6.9	-	8.4	10.0	-	-
2014	10.5	13.5	-	-	14.0	15.8	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 5 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR CERVICAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	10.5	10.9	-	-	14.1	22.6	-	-
2006	9.8	10.2	-	-	6.4	-	-	50.7
2007	-	-	-	-	-	-	-	-
2008	-	-	-	-	15.4	12.2	34.2	63.1
2009	5.8	6.2	-	-	21.8	11.6	56.5	-
2010	17.3	18.0	-	-	-	-	-	-
2011	17.2	18.0	-	-	-	-	-	-
2012	8.2	8.5	-	-	9.1	14.7	-	-
2013	3.9	4.0	-	-	5.8	8.7	-	-
2014	5.1	5.3	-	-	-	-	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	8.7	9.9	-	-
2006	-	-	-	-	5.8	6.4	-	-
2007	-	-	-	-	1.7	1.9	-	-
2008	-	-	-	-	4.1	4.7	-	-
2009	-	-	-	-	2.1	2.3	-	-
2010	-	-	-	-	8.5	7.9	16.8	45.5
2011	-	-	-	-	6.1	6.8	-	-
2012	-	-	-	-	-	-	-	-
2013	-	-	-	-	3.4	3.8	-	-
2014	-	-	-	-	3.0	3.5	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 5 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR CERVICAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	5.6	3.4	18.6	-	2.6	2.9	-	-
2006	4.4	2.7	17.7	-	6.9	7.8	-	-
2007	4.8	5.8	-	-	7.4	8.7	-	-
2008	3.4	-	7.1	23.7	4.1	4.6	-	-
2009	6.4	6.8	9.8	21.1	15.8	9.9	25.4	-
2010	1.4	1.7	-	-	5.6	2.0	42.5	-
2011	5.1	6.1	-	-	2.9	3.6	-	-
2012	6.5	5.4	12.4	-	2.5	-	22.9	-
2013	4.6	4.4	9.9	20.4	1.6	-	16.4	-
2014	6.4	7.7	-	63.7	1.3	1.5	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	11.0	16.0	-	-	4.9	4.6	6.0	5.1
2006	5.3	-	18.2	-	4.7	4.5	6.2	4.8
2007	20.6	22.0	15.7	-	4.6	4.4	6.3	4.6
2008	10.0	13.9	-	-	4.7	4.5	6.2	4.4
2009	17.0	15.3	-	-	4.8	4.5	6.9	5.3
2010	-	-	-	-	4.2	4.0	6.8	3.9
2011	7.5	10.4	-	-	4.7	4.6	6.0	4.8
2012	4.8	6.4	-	-	4.4	4.2	6.0	4.1
2013	-	-	-	-	4.4	4.2	5.8	4.4
2014	5.1	7.6	-	-	4.1	4.0	4.6	3.5

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



COLORECTAL CANCER

TABLE 6. AGE ADJUSTED RATES PER 100,000 POPULATION FOR COLORECTAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	45.9	44.1	59.0	-	29.9	28.6	40.5	-
2006	49.2	51.8	38.2	59.3	38.0	35.1	67.3	-
2007	54.5	54.6	58.2	32.6	32.1	29.8	26.7	-
2008	47.0	45.7	47.8	40.0	62.5	63.2	66.0	225.0
2009	40.2	41.0	41.5	41.4	53.3	56.8	-	-
2010	40.0	38.1	51.8	-	33.2	31.6	64.0	-
2011	42.7	43.0	49.6	22.9	27.5	25.9	43.9	-
2012	46.6	47.9	45.8	18.0	37.2	40.1	14.9	-
2013	41.6	40.6	56.3	34.1	30.2	27.2	31.8	-
2014	37.7	30.4	59.7	6.7	27.3	30.0	18.0	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	47.1	45.8	44.8	-	58.9	62.1	-	-
2006	48.4	50.9	45.4	150.6	37.8	33.2	98.0	-
2007	56.7	55.8	74.8	-	28.5	29.7	-	-
2008	45.8	45.1	66.5	122.4	23.7	20.7	87.1	-
2009	45.3	40.1	88.3	43.0	32.2	33.7	-	-
2010	34.0	29.1	56.3	40.8	37.9	40.0	-	-
2011	43.6	44.7	26.8	34.6	24.8	26.1	-	-
2012	33.3	33.3	33.0	119.1	52.6	53.1	97.9	-
2013	37.3	35.4	33.1	31.8	45.0	49.5	-	-
2014	36.3	36.1	39.2	39.7	35.1	36.7	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 6 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR COLORECTAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	31.8	32.8	-	-	38.5	42.5	20.4	-
2006	33.2	28.5	153.0	-	57.1	70.4	-	186.4
2007	46.4	47.4	-	323.3	96.1	110.3	68.4	-
2008	39.8	40.9	-	-	49.8	61.9	17.9	-
2009	45.4	46.8	-	-	20.3	29.5	-	-
2010	31.7	28.6	230.7	-	12.1	9.0	18.0	-
2011	17.7	18.4	-	-	30.4	39.4	17.0	-
2012	16.1	16.7	-	-	32.4	43.4	-	111.0
2013	39.8	41.2	-	-	36.4	40.2	31.8	-
2014	20.4	17.2	242.3	-	48.7	46.8	15.2	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	15.5	16.6	-	-	41.3	45.1	-	-
2006	38.6	41.7	-	-	39.4	42.9	-	87.1
2007	14.4	14.5	-	-	53.6	52.6	57.2	-
2008	34.8	35.5	-	-	44.2	38.3	117.3	-
2009	70.4	66.0	489.5	-	47.6	49.6	20.9	57.6
2010	13.7	14.6	-	-	31.3	30.4	40.7	-
2011	19.9	21.1	-	-	48.1	50.8	35.1	100.4
2012	23.9	24.1	-	-	47.3	42.4	119.7	124.8
2013	26.0	29.3	-	-	44.4	47.3	17.0	-
2014	-	-	-	-	26.8	28.0	24.4	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 6 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR COLORECTAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	44.7	47.8	29.2	25.8	51.5	54.7	20.1	110.8
2006	39.5	36.8	54.5	33.0	67.0	69.2	44.0	225.0
2007	42.6	45.0	32.8	26.9	57.7	59.5	42.9	300.0
2008	57.2	50.9	74.1	115.2	34.5	33.2	43.7	-
2009	30.6	31.2	29.3	36.1	53.8	55.9	42.4	-
2010	39.2	39.9	34.9	-	36.4	37.0	17.8	41.5
2011	49.8	55.1	10.3	55.2	37.6	40.1	18.3	-
2012	38.0	39.5	31.8	28.7	30.3	32.2	16.7	-
2013	29.6	30.6	27.7	22.0	39.0	39.6	49.1	65.1
2014	53.4	57.1	27.5	62.0	30.3	30.8	21.2	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	74.4	64.6	132.8	-	45.0	44.0	48.5	40.8
2006	152.6	128.1	274.3	-	42.8	41.9	44.4	43.3
2007	113.6	67.6	441.4	244.4	41.8	40.8	43.3	40.1
2008	134.8	114.8	214.4	126.5	41.3	39.6	50.6	39.8
2009	100.0	66.7	150.5	-	38.7	37.3	43.4	38.4
2010	64.6	49.1	109.5	171.3	36.5	35.8	43.2	34.3
2011	177.7	149.5	358.9	211.8	38.2	37.6	42.2	37.9
2012	94.0	60.9	412.6	-	36.5	36.0	40.1	32.5
2013	154.0	84.2	343.1	548.3	36.9	36.1	41.8	33.5
2014	102.5	73.5	181.1	128.8	33.5	32.5	38.3	28.4

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



ESOPHAGUS CANCER

TABLE 7. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ESOPHAGUS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	3.0	1.3	12.8	-	7.0	4.2	16.8	-
2006	6.0	6.0	6.0	-	3.1	3.6	-	-
2007	6.4	5.1	11.8	-	3.0	3.5	-	-
2008	6.5	5.7	9.1	-	8.6	9.6	-	-
2009	5.2	6.5	-	-	9.6	6.7	-	-
2010	6.0	4.9	11.2	-	15.1	15.7	-	-
2011	6.4	6.5	5.2	-	-	-	-	-
2012	2.9	3.2	-	-	5.3	3.3	25.4	-
2013	8.3	9.4	5.5	-	8.7	6.6	-	-
2014	3.9	4.2	3.6	-	3.0	3.8	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	6.6	6.2	9.2	-	13.1	13.6	-	-
2006	7.8	7.3	-	-	8.2	8.6	-	-
2007	12.6	13.0	12.9	-	-	-	-	-
2008	2.5	2.7	-	-	10.6	11.7	-	-
2009	4.7	3.8	9.2	-	-	-	-	-
2010	6.7	6.6	9.3	32.2	3.6	3.8	-	-
2011	4.1	4.9	-	-	13.2	14.2	-	-
2012	4.6	3.9	8.8	-	8.4	4.9	-	-
2013	7.4	8.8	-	-	-	-	-	-
2014	2.0	2.3	-	-	2.9	-	85.7	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 7 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ESOPHAGUS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	9.8	10.2	-	-	-	-	-	-
2006	4.9	5.1	-	-	7.9	10.0	-	-
2007	4.0	4.1	-	-	6.8	-	17.9	-
2008	4.2	4.3	-	-	8.7	11.0	-	-
2009	13.6	14.1	-	-	-	-	-	-
2010	3.4	3.5	-	-	-	-	-	-
2011	4.4	4.6	-	-	-	-	-	-
2012	4.9	5.0	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-
2014	3.3	3.4	-	-	4.0	5.6	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	10.8	11.2	-	-	1.8	1.9	-	-
2006	-	-	-	-	5.2	5.7	-	-
2007	11.9	12.7	-	-	4.2	4.5	-	-
2008	-	-	-	-	2.8	2.9	-	-
2009	11.2	-	397.2	-	7.4	5.8	21.9	-
2010	-	-	-	-	11.8	13.1	-	-
2011	11.2	14.3	-	-	9.1	10.1	-	-
2012	-	-	-	-	5.1	5.7	-	-
2013	-	-	-	-	5.8	6.4	-	-
2014	-	-	-	-	6.2	6.8	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 7 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ESOPHAGUS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	6.3	5.9	8.8	-	3.8	2.1	20.6	-
2006	7.1	7.9	-	-	5.4	3.7	25.8	-
2007	8.3	8.7	8.8	-	1.6	1.7	-	-
2008	6.0	7.0	-	-	1.7	1.9	-	-
2009	6.8	6.8	-	-	-	-	-	-
2010	3.8	4.4	-	-	3.9	4.4	-	-
2011	7.1	6.4	15.5	-	4.5	5.0	-	-
2012	4.3	3.7	10.0	-	3.3	3.6	-	-
2013	5.2	5.8	-	34.2	5.4	6.1	-	-
2014	6.3	7.2	-	-	8.8	8.1	23.8	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	18.6	22.0	-	-	4.8	4.7	4.7	2.4
2006	24.0	7.5	93.6	-	4.7	4.7	4.2	2.2
2007	11.0	7.1	35.9	-	4.7	4.7	4.4	2.9
2008	10.8	13.2	-	-	4.5	4.6	3.7	3.2
2009	10.2	11.2	-	-	4.2	4.3	3.2	2.3
2010	16.0	20.4	-	110.8	4.5	4.6	3.8	2.6
2011	6.0	8.0	-	-	4.6	4.7	4.0	2.8
2012	3.7	4.8	-	110.8	4.4	4.6	2.8	2.1
2013	-	-	-	-	4.5	4.7	3.5	2.4
2014	17.8	23.7	-	-	4.0	4.2	2.8	1.9

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



HEAD/NECK CANCER

TABLE 8. AGE ADJUSTED RATES PER 100,000 POPULATION FOR HEAD/NECK CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	18.2	19.7	13.0	19.2	19.5	19.4	24.2	-
2006	16.2	15.5	25.4	12.2	22.2	23.4	17.1	-
2007	28.6	30.5	19.1	32.1	23.1	26.8	-	-
2008	24.1	28.7	4.8	-	5.9	6.9	-	-
2009	17.3	18.9	10.0	-	17.3	20.7	-	-
2010	21.4	24.5	13.3	8.1	15.4	11.9	30.2	-
2011	25.2	28.4	18.7	17.1	13.4	12.2	14.2	-
2012	15.8	16.8	8.9	-	20.4	24.0	-	-
2013	19.8	22.5	8.6	-	18.7	23.4	-	-
2014	16.5	17.6	12.2	-	12.8	12.3	24.5	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	23.5	23.0	23.4	-	30.9	32.4	-	-
2006	18.2	21.3	-	-	36.0	28.1	144.4	-
2007	30.7	36.2	-	-	29.6	31.5	-	-
2008	25.6	29.8	-	-	32.2	25.5	49.6	-
2009	22.6	22.6	18.6	-	35.3	33.3	-	-
2010	24.3	26.9	8.5	-	39.2	27.6	142.5	-
2011	14.9	17.8	-	-	18.3	19.4	-	-
2012	30.4	34.2	20.4	-	40.7	40.8	-	-
2013	18.1	16.9	33.9	-	25.8	29.2	-	-
2014	19.1	22.3	-	-	20.2	22.2	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 8 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR HEAD/NECK CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	39.6	41.0	-	-	28.5	38.7	-	-
2006	12.6	13.3	-	-	12.5	7.9	25.4	-
2007	42.8	44.3	-	-	12.4	18.7	-	-
2008	14.4	14.8	-	-	43.4	54.6	29.0	-
2009	16.7	17.2	-	-	33.3	23.4	63.4	-
2010	17.0	17.6	-	-	21.6	20.4	31.0	-
2011	8.7	9.1	-	-	46.7	29.3	86.5	-
2012	20.0	20.7	-	-	13.5	7.7	44.6	-
2013	24.8	25.7	-	-	5.8	-	19.6	-
2014	17.7	18.3	-	-	8.4	-	40.3	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	10.6	11.5	-	-
2006	-	-	-	-	19.8	15.4	73.1	-
2007	10.7	11.0	-	-	22.6	21.0	55.1	-
2008	-	-	-	-	20.8	23.1	-	-
2009	11.9	12.2	-	-	25.0	25.3	-	-
2010	-	-	-	-	31.2	32.6	30.2	78.0
2011	30.9	35.6	-	-	17.3	19.3	-	-
2012	24.5	26.2	-	-	28.1	27.8	27.4	-
2013	23.0	23.4	-	-	21.1	23.4	-	-
2014	22.4	23.4	-	-	16.3	18.3	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 8 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR HEAD/NECK CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	20.9	19.0	28.5	-	25.6	28.1	-	99.3
2006	19.8	19.5	10.0	28.2	21.5	20.8	24.1	-
2007	28.2	28.7	22.0	-	32.7	29.1	74.4	80.8
2008	24.6	26.6	9.2	-	15.0	16.5	-	-
2009	28.6	27.7	34.8	-	14.8	16.6	-	-
2010	28.9	28.3	28.5	-	25.1	20.2	65.4	-
2011	19.6	21.4	-	55.5	9.5	7.4	16.0	-
2012	20.8	23.9	-	-	24.0	23.9	15.5	-
2013	23.3	19.9	26.6	19.8	12.0	13.3	-	-
2014	20.4	23.0	-	-	16.8	18.7	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	111.6	127.2	48.5	311.5	17.3	17.6	14.2	12.4
2006	56.6	39.6	130.6	-	17.1	17.5	13.7	12.4
2007	141.9	100.1	366.3	109.1	17.4	17.6	14.1	12.8
2008	113.1	107.4	89.0	126.5	17.5	17.8	13.3	11.6
2009	125.3	105.1	226.6	232.3	16.9	17.3	12.9	12.3
2010	101.7	104.5	107.5	287.4	17.1	17.8	12.5	12.5
2011	87.5	89.5	65.9	136.1	17.0	17.9	12.0	11.9
2012	164.5	173.7	159.3	74.5	17.0	18.0	10.9	11.9
2013	113.0	98.5	141.7	-	17.7	18.6	12.1	12.2
2014	77.3	77.6	102.7	397.4	16.3	17.0	11.4	9.6

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



HODGKIN'S LYMPHOMA

TABLE 9. AGE ADJUSTED RATES PER 100,000 POPULATION FOR HODGKINS LYMPHOMA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	2.7	2.9	2.3	-	-	-	-	-
2006	1.1	0.5	2.6	-	-	-	-	-
2007	3.0	3.1	3.7	-	3.7	5.5	-	-
2008	4.0	5.3	-	-	6.9	9.8	-	-
2009	0.9	0.7	2.0	-	6.4	8.6	-	-
2010	3.3	3.4	4.2	-	2.5	2.8	-	-
2011	1.7	1.5	3.6	-	2.8	3.6	-	-
2012	0.5	0.7	-	-	-	-	-	-
2013	2.4	3.6	-	-	-	-	-	-
2014	0.9	1.3	-	-	-	-	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	3.1	2.1	-	-	13.2	15.7	-	-
2006	6.4	8.1	-	-	-	-	-	-
2007	2.7	3.5	-	-	-	-	-	-
2008	3.3	4.3	-	-	6.0	7.5	-	-
2009	1.0	1.1	-	-	13.2	14.4	-	-
2010	1.8	2.4	-	-	-	-	-	-
2011	1.7	-	8.6	-	8.6	9.7	-	-
2012	1.4	2.0	-	-	-	-	-	-
2013	2.6	3.5	-	-	-	-	-	-
2014	3.4	2.4	7.8	-	2.9	3.0	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 9 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR HODGKINS LYMPHOMA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	-	-	-	-
2006	-	-	-	-	-	-	-	-
2007	-	-	-	-	5.7	10.6	-	-
2008	4.2	4.3	-	-	-	-	-	-
2009	-	-	-	-	7.1	11.6	-	61.7
2010	-	-	-	-	8.0	10.0	-	-
2011	10.7	12.0	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-
2013	4.0	4.0	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	5.3	5.9	-	-
2006	-	-	-	-	2.7	-	21.0	-
2007	10.0	14.1	-	-	1.4	-	22.0	-
2008	-	-	-	-	5.5	6.2	-	-
2009	-	-	-	-	6.2	7.1	-	-
2010	-	-	-	-	-	-	-	-
2011	11.2	13.3	-	145.9	-	-	-	-
2012	-	-	-	-	1.2	1.4	-	-
2013	-	-	-	-	1.2	1.4	-	-
2014	10.2	10.4	-	-	1.4	1.6	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 9 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR HODGKINS LYMPHOMA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	2.4	2.7	-	-	-	-	-	-
2006	1.7	2.2	-	-	5.0	5.8	-	-
2007	2.0	2.4	-	-	3.4	3.7	-	-
2008	1.9	2.2	-	-	8.6	10.3	-	12.5
2009	2.3	2.6	-	-	6.2	3.7	-	28.0
2010	4.5	3.5	8.3	-	4.1	4.6	-	-
2011	-	-	-	-	-	-	-	-
2012	1.5	1.8	-	-	-	-	-	-
2013	1.7	-	7.4	-	2.7	3.4	-	-
2014	7.2	6.7	11.7	9.6	3.2	3.9	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	15.9	-	49.0	-	2.7	2.8	2.3	2.6
2006	27.4	8.1	89.2	-	2.6	2.6	2.4	2.7
2007	11.0	6.5	27.8	-	2.6	2.7	1.8	2.5
2008	12.5	-	85.7	-	2.9	3.0	2.1	2.7
2009	11.3	-	61.4	-	2.3	2.3	2.3	1.8
2010	13.5	19.1	-	-	2.5	2.7	1.8	2.3
2011	5.2	7.5	-	-	2.7	2.8	2.7	2.5
2012	11.2	7.5	20.0	-	2.5	2.5	2.8	2.4
2013	25.0	27.4	16.8	70.2	2.5	2.7	2.0	2.3
2014	-	-	-	-	2.5	2.5	2.2	2.5

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



LEUKEMIA

TABLE 10. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LEUKEMIA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	8.0	9.5	4.0	9.1	3.1	4.6	-	29.9
2006	6.9	8.1	2.2	8.8	15.6	9.3	57.0	8.2
2007	11.1	9.1	21.7	9.3	11.0	15.0	-	-
2008	12.0	12.6	9.8	9.1	10.8	9.5	-	-
2009	14.2	12.6	25.2	8.8	13.4	16.8	-	32.3
2010	10.3	9.3	14.1	11.0	6.9	7.7	-	-
2011	8.1	10.4	-	9.6	6.5	7.3	-	7.3
2012	10.5	7.5	12.6	10.2	20.5	24.7	-	8.1
2013	12.4	13.1	10.4	10.0	17.2	20.2	-	18.4
2014	8.5	7.9	11.4	8.0	2.4	2.8	-	7.9
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	12.0	14.3	-	-	4.0	4.1	-	-
2006	4.9	5.5	-	-	-	-	-	-
2007	6.9	6.4	-	-	7.4	7.8	-	81.6
2008	7.2	3.9	26.2	-	29.0	32.0	-	-
2009	8.6	10.1	-	-	4.0	4.2	-	-
2010	15.8	17.0	8.6	-	-	-	-	-
2011	9.2	10.8	-	-	10.9	11.5	-	-
2012	8.2	9.7	-	-	7.7	8.0	-	-
2013	7.2	8.2	-	-	-	-	-	-
2014	9.3	7.4	20.7	-	15.7	16.8	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 10 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LEUKEMIA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	32.4	33.9	-	-	-	-	-	-
2006	-	-	-	-	20.3	10.1	44.1	-
2007	13.1	13.7	-	-	22.3	31.2	-	-
2008	23.2	20.4	-	-	-	-	-	285.5
2009	22.4	23.4	-	-	8.6	14.3	-	-
2010	9.2	9.6	-	-	27.3	39.0	-	-
2011	3.4	3.5	-	-	12.5	-	39.9	-
2012	9.0	9.2	-	-	15.0	19.6	-	-
2013	7.3	7.5	-	-	-	-	-	-
2014	5.1	5.4	-	-	18.5	24.9	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	12.8	13.1	-	-	8.3	8.8	-	-
2006	-	-	-	-	12.9	14.5	-	-
2007	11.0	11.2	-	-	6.9	7.4	-	-
2008	-	-	-	-	7.1	7.4	-	-
2009	23.1	16.1	540.0	-	15.8	16.9	-	-
2010	10.6	11.1	-	-	14.5	14.3	16.8	-
2011	13.0	13.5	-	-	19.0	18.2	22.5	-
2012	-	-	-	-	21.0	24.2	-	-
2013	23.9	28.7	-	-	3.7	4.0	-	-
2014	-	-	-	-	3.9	4.2	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 10 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LEUKEMIA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	11.8	8.3	36.1	-	13.9	15.3	-	25.8
2006	12.8	10.8	27.4	-	6.3	7.1	-	33.0
2007	7.6	9.0	-	-	5.1	3.7	19.1	-
2008	4.0	4.8	-	-	9.3	5.2	22.5	-
2009	15.6	13.6	26.7	-	5.2	5.6	-	-
2010	13.2	11.6	13.8	-	4.4	5.2	-	-
2011	11.6	8.5	35.3	-	10.2	10.3	16.0	-
2012	14.3	16.8	-	26.6	14.3	8.7	30.6	26.9
2013	10.5	8.6	21.2	-	12.4	14.8	-	-
2014	8.6	10.0	-	-	9.1	7.6	-	23.5
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	29.2	15.7	91.2	-	11.5	11.6	10.2	-
2006	38.8	47.7	-	-	10.4	10.6	8.6	-
2007	25.5	23.3	27.8	-	10.6	10.8	8.4	242.3
2008	-	-	-	-	10.9	11.0	9.9	-
2009	22.6	32.1	-	-	10.5	10.6	8.0	-
2010	15.5	9.7	41.7	-	12.3	12.8	10.2	-
2011	19.6	10.4	45.1	-	11.7	11.9	10.7	-
2012	9.8	6.1	19.6	-	12.3	12.5	11.1	-
2013	25.5	19.1	19.3	37.9	12.2	12.6	9.1	130.3
2014	28.3	30.4	16.9	-	10.8	10.9	9.8	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



LUNG/BRONCHUS CANCER

TABLE 11. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LUNG/BRONCHUS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	85.7	95.2	37.7	48.4	84.7	91.4	-	310.2
2006	68.7	72.0	60.3	17.7	71.7	73.5	65.9	-
2007	79.4	84.0	68.3	80.2	69.9	68.1	84.4	-
2008	83.0	86.9	77.6	-	81.3	78.1	111.0	-
2009	74.9	75.6	78.8	36.5	81.7	75.6	105.4	-
2010	78.2	83.1	68.6	36.6	53.9	48.0	124.6	-
2011	70.3	70.3	78.2	20.3	96.8	100.3	87.7	-
2012	66.4	67.7	76.1	11.4	70.7	58.1	166.0	-
2013	71.2	76.2	65.3	40.2	71.3	73.3	49.3	-
2014	57.2	55.1	60.4	-	71.9	80.6	18.0	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	110.6	118.5	51.2	-	104.8	110.6	-	540.0
2006	100.3	104.8	62.6	-	101.8	97.8	252.2	-
2007	80.3	84.6	56.5	106.3	91.6	95.8	-	-
2008	114.2	123.3	58.6	-	100.8	106.6	-	-
2009	89.1	94.0	60.2	-	105.9	107.1	-	337.5
2010	77.1	77.2	89.5	-	66.5	70.8	-	-
2011	108.6	120.7	37.1	32.8	97.3	97.8	51.1	600.0
2012	86.6	88.1	92.1	-	123.2	130.7	-	-
2013	77.8	80.7	70.3	28.5	102.6	105.2	-	-
2014	81.1	85.7	62.5	66.0	75.0	79.1	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 11 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LUNG/BRONCHUS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	111.8	108.9	193.9	-	73.6	89.4	47.4	-
2006	66.2	68.5	-	-	125.5	141.5	83.1	-
2007	87.2	89.5	-	-	87.5	72.9	104.3	-
2008	107.1	105.7	194.0	-	63.6	42.1	132.0	-
2009	101.3	104.7	-	-	54.5	49.9	36.2	-
2010	86.3	89.5	-	211.8	62.8	84.9	-	-
2011	77.5	80.8	-	-	93.9	89.7	104.4	-
2012	109.7	113.8	-	167.2	61.0	49.2	60.9	-
2013	81.6	76.0	-	-	106.2	121.4	47.6	-
2014	77.4	80.1	-	-	52.4	49.5	63.4	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	82.6	84.8	-	-	106.3	108.9	89.2	-
2006	54.9	56.5	-	-	81.6	76.7	150.8	-
2007	74.8	76.7	-	-	84.4	85.2	75.7	-
2008	101.6	89.3	-	-	83.5	81.9	126.9	73.4
2009	121.1	126.6	-	-	110.3	117.4	26.9	70.5
2010	83.6	87.5	-	-	83.7	88.4	44.1	-
2011	19.9	11.5	168.7	-	94.7	92.3	164.9	40.7
2012	43.8	45.0	-	-	85.6	87.9	74.2	-
2013	79.5	56.6	1,080.0	-	71.4	75.3	24.4	36.1
2014	32.2	33.5	-	-	88.3	87.1	56.9	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 11 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LUNG/BRONCHUS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	89.3	92.8	43.5	49.4	84.8	91.2	23.0	-
2006	105.4	109.7	54.1	101.1	73.1	75.8	42.9	110.5
2007	99.9	101.8	91.6	29.5	78.7	78.8	91.4	-
2008	78.0	82.1	41.7	-	96.9	101.4	89.0	-
2009	86.6	89.3	62.1	-	79.6	84.3	22.9	-
2010	102.7	105.5	102.5	-	80.6	84.0	36.9	-
2011	92.3	99.2	54.4	60.0	86.5	91.8	51.8	-
2012	104.6	103.3	124.8	-	70.3	72.4	34.0	-
2013	87.9	90.2	59.3	42.5	99.3	100.3	79.7	-
2014	73.6	75.5	26.0	-	66.7	71.5	36.5	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	172.3	156.9	278.5	-	71.7	73.3	53.8	39.8
2006	317.6	301.2	440.0	342.6	67.0	68.3	52.8	37.3
2007	255.9	232.8	434.5	837.1	64.8	65.3	56.4	34.9
2008	243.4	226.7	346.4	215.5	64.8	65.6	54.1	36.2
2009	201.1	167.4	346.8	-	64.5	66.0	48.4	34.2
2010	228.4	215.2	313.3	314.6	63.2	65.2	50.3	36.5
2011	216.5	202.5	266.9	222.4	61.3	63.2	52.4	33.2
2012	187.2	171.8	259.2	221.7	62.5	64.8	49.4	34.3
2013	211.8	198.0	239.6	136.3	60.6	62.9	45.5	34.6
2014	221.7	234.2	129.9	228.2	54.1	55.9	40.1	27.8

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



LIVER AND INTRAHEPATIC BILE DUCTS CANCER

TABLE 12. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LIVER/INTRAHEPATIC BILE DUCT CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	4.9	4.4	6.5	13.2	-	-	-	-
2006	6.5	6.6	4.6	-	6.1	7.3	-	-
2007	7.2	5.8	7.3	-	3.0	3.3	-	-
2008	4.7	3.6	11.2	9.0	2.9	3.4	-	-
2009	7.2	6.4	13.3	-	5.6	3.5	23.7	-
2010	9.1	7.0	22.2	8.1	7.5	9.4	-	-
2011	6.2	5.3	10.3	12.5	6.1	3.6	31.9	-
2012	9.0	10.0	7.3	-	2.3	2.7	-	-
2013	9.7	11.7	3.3	6.3	10.9	12.8	-	-
2014	6.6	6.9	7.8	6.7	5.5	7.5	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	6.4	7.3	-	-	8.5	8.9	-	-
2006	5.4	6.1	-	-	12.1	13.5	-	-
2007	9.4	9.4	9.4	-	-	-	-	-
2008	14.3	11.6	25.7	-	4.1	4.3	-	-
2009	9.8	10.3	9.7	-	14.9	8.0	78.4	-
2010	9.6	9.3	8.3	-	-	-	-	-
2011	10.2	10.9	8.8	-	6.6	7.0	-	-
2012	3.9	4.7	-	-	-	-	-	-
2013	7.4	8.7	-	81.3	9.4	6.9	85.7	-
2014	7.6	8.0	6.2	-	7.6	7.9	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 12 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LIVER/INTRAHEPATIC BILE DUCT CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	9.5	9.8	-	-	8.0	10.3	-	-
2006	-	-	-	-	8.5	10.5	-	-
2007	19.9	20.5	-	-	6.5	8.5	-	-
2008	5.2	5.4	-	-	-	-	-	-
2009	10.2	10.6	-	-	5.1	7.2	-	-
2010	11.4	11.8	-	-	10.4	14.8	-	-
2011	7.5	7.8	-	-	4.2	5.6	-	-
2012	6.7	6.9	-	-	7.6	9.1	-	-
2013	-	-	-	-	18.4	25.3	-	-
2014	5.1	5.3	-	-	-	-	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	15.5	16.6	-	-	7.0	7.5	-	62.1
2006	-	-	-	-	8.7	9.7	-	-
2007	-	-	-	-	9.8	8.3	-	-
2008	-	-	-	-	4.6	3.7	-	-
2009	10.1	10.6	-	-	6.9	4.7	-	-
2010	-	-	-	-	8.1	9.0	-	-
2011	13.9	14.9	-	-	5.0	3.0	23.9	-
2012	-	-	-	-	9.8	11.1	-	-
2013	-	-	-	-	22.0	24.7	-	36.1
2014	-	-	-	-	4.4	4.8	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 12 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR LIVER/INTRAHEPATIC BILE DUCT CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	12.2	9.1	27.9	26.3	-	-	-	-
2006	5.1	4.9	8.2	-	18.6	15.0	50.7	-
2007	6.9	5.8	14.9	31.8	9.2	8.2	31.4	-
2008	10.0	11.4	-	-	10.8	12.1	-	-
2009	9.7	11.2	-	23.1	1.3	1.4	-	-
2010	6.4	6.6	8.9	-	6.1	6.9	-	-
2011	3.3	3.8	-	-	5.2	5.8	-	-
2012	7.9	8.6	8.3	64.0	10.5	11.6	-	96.9
2013	12.3	12.7	6.4	44.1	8.7	9.8	-	-
2014	5.4	6.2	-	-	5.0	5.7	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	48.8	38.0	95.5	-	5.7	5.4	6.6	7.5
2006	32.7	25.1	61.0	-	6.0	5.6	6.8	6.9
2007	94.6	74.1	160.5	-	6.2	5.8	7.8	6.3
2008	87.3	66.3	140.1	1,350.0	6.5	6.1	7.6	6.9
2009	79.4	56.1	204.3	688.7	6.6	6.2	8.0	6.3
2010	52.6	29.9	103.5	123.0	6.7	6.4	7.7	7.9
2011	98.9	51.5	248.9	172.7	7.0	6.8	8.3	7.8
2012	55.3	56.6	46.6	-	7.2	7.1	7.0	7.3
2013	49.3	43.2	76.8	140.4	7.5	7.4	7.7	6.6
2014	30.0	13.2	63.0	128.0	6.6	6.4	6.5	5.6

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



NON-HODGKIN'S LYMPHOMA

TABLE 13. AGE ADJUSTED RATES PER 100,000 POPULATION FOR NONHODGKINS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	24.6	24.0	30.0	10.3	15.6	17.8	-	269.2
2006	17.3	19.3	6.9	17.7	6.2	7.0	-	-
2007	15.3	17.0	8.9	-	11.4	14.9	-	-
2008	20.8	21.7	13.8	-	5.9	6.5	-	-
2009	16.0	16.3	7.1	16.6	-	-	-	-
2010	21.4	21.8	23.8	33.6	23.4	23.0	29.7	-
2011	16.5	18.5	5.9	27.5	11.5	13.3	-	-
2012	17.0	19.7	9.9	24.0	5.6	3.6	-	-
2013	16.9	18.6	10.4	1.2	13.0	14.7	-	-
2014	14.5	14.9	14.0	-	21.0	23.7	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	13.1	-	-	-	20.3	21.5	-	-
2006	14.8	10.0	10.0	-	13.3	13.7	-	-
2007	16.7	9.0	9.0	81.8	19.3	20.2	-	-
2008	14.8	-	-	-	17.4	19.9	-	-
2009	14.5	20.4	20.4	-	16.4	19.3	-	-
2010	14.3	21.1	21.1	-	4.6	4.8	-	-
2011	16.1	12.5	12.5	36.7	4.6	4.7	-	-
2012	16.0	-	-	31.5	4.7	-	62.7	-
2013	17.8	6.4	6.4	26.0	10.9	12.5	-	-
2014	15.3	14.0	14.0	50.0	18.6	19.3	-	193.9

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 13 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR NONHODGKINS LYMPHOMA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	5.9	6.1	-	-	7.0	11.2	-	-
2006	4.9	5.1	-	-	6.7	9.2	-	-
2007	24.7	25.2	-	-	27.8	30.5	16.1	-
2008	17.6	18.6	-	-	5.5	10.3	-	-
2009	21.5	22.3	-	-	23.1	33.2	-	-
2010	4.6	4.8	-	-	35.8	38.6	20.8	-
2011	6.8	7.1	-	-	-	-	-	-
2012	25.6	26.4	-	-	-	-	-	-
2013	42.8	44.8	-	-	23.2	30.6	-	-
2014	12.4	12.9	-	-	6.9	9.1	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	24.9	25.3	-	-	17.3	16.8	-	90.8
2006	11.8	12.6	-	-	11.8	10.7	31.5	-
2007	-	-	-	-	11.4	12.5	-	-
2008	-	-	-	-	20.5	20.0	-	-
2009	11.6	11.8	-	-	6.3	5.1	22.5	-
2010	22.8	23.5	-	-	16.1	15.7	-	-
2011	33.9	36.0	-	-	8.7	9.6	-	-
2012	-	-	-	-	12.4	11.6	28.4	-
2013	22.5	25.6	-	-	23.5	24.6	21.4	-
2014	9.3	9.5	-	-	12.9	14.2	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 13 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR NONHODGKINS LYMPHOMA CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	16.6	14.0	27.7	-	17.2	14.4	23.6	-
2006	16.3	14.2	25.4	-	12.7	13.9	-	-
2007	20.9	13.8	41.1	12.4	22.6	25.2	-	-
2008	20.7	18.6	20.4	-	25.2	28.2	-	221.2
2009	19.1	16.6	31.7	25.5	21.6	19.0	25.4	-
2010	16.9	17.8	8.3	-	19.7	18.5	17.8	-
2011	22.2	18.1	43.2	90.7	14.4	15.9	-	-
2012	19.8	19.6	10.0	-	9.6	11.2	-	-
2013	25.3	19.3	50.8	-	18.7	20.7	-	-
2014	16.2	17.5	6.2	-	7.9	8.7	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	47.1	23.3	129.4	-	18.4	18.2	15.7	16.4
2006	49.3	55.4	21.5	220.2	17.0	17.1	12.7	15.9
2007	67.3	66.1	80.7	131.1	17.4	17.4	13.3	15.8
2008	37.7	26.8	65.0	-	17.5	17.3	14.6	15.5
2009	67.7	50.1	69.2	-	17.3	17.3	13.8	15.0
2010	67.9	69.2	52.1	-	17.5	17.5	15.0	15.2
2011	60.6	39.8	130.7	-	17.3	17.5	13.6	15.3
2012	33.4	15.2	100.7	-	17.1	17.4	13.6	14.9
2013	20.0	-	108.4	-	17.3	17.6	13.7	16.0
2014	74.4	76.4	53.5	-	15.8	15.9	12.3	12.1

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



ORAL CANCER

TABLE 14. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ORAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	12.6	15.2	2.5	19.2	10.4	11.8	-	-
2006	13.4	12.6	23.1	-	19.3	20.1	17.1	-
2007	20.6	23.9	6.1	18.4	10.0	11.8	-	-
2008	21.5	25.4	4.8	-	2.9	3.4	-	-
2009	12.5	13.9	5.6	-	11.1	13.1	-	-
2010	15.8	18.1	9.5	8.1	15.4	11.9	30.2	-
2011	20.8	23.5	14.6	7.0	10.1	12.2	-	-
2012	13.3	13.5	8.9	-	11.6	13.8	-	-
2013	16.9	19.2	6.5	-	12.5	15.6	-	-
2014	12.7	13.9	7.8	-	10.4	12.3	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	16.1	16.9	13.5	-	19.0	19.9	-	-
2006	11.7	13.7	-	-	24.9	16.2	144.4	-
2007	23.6	28.0	-	-	7.4	7.8	-	-
2008	20.8	24.2	-	-	29.1	22.2	49.6	-
2009	15.4	15.6	10.6	-	30.9	28.7	-	-
2010	20.7	22.5	8.5	-	23.9	15.3	63.1	-
2011	11.4	13.6	-	-	13.7	14.7	-	-
2012	26.1	28.9	20.4	-	33.3	36.8	-	-
2013	11.4	10.5	22.3	-	19.6	21.9	-	-
2014	18.2	21.2	-	-	13.1	14.7	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 14 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ORAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	35.0	36.2	-	-	12.9	17.5	-	-
2006	12.6	13.3	-	-	12.5	7.9	25.4	-
2007	37.6	39.0	-	-	6.8	11.0	-	-
2008	4.2	4.3	-	-	37.1	54.6	-	-
2009	13.0	13.5	-	-	22.8	15.4	45.3	-
2010	17.0	17.6	-	-	14.3	10.4	31.0	-
2011	5.3	5.6	-	-	23.1	10.6	52.5	-
2012	10.2	10.5	-	-	13.5	7.7	44.6	-
2013	21.4	22.2	-	-	5.8	-	19.6	-
2014	14.4	14.9	-	-	8.4	-	40.3	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	10.6	11.5	-	-
2006	-	-	-	-	13.3	10.3	48.8	-
2007	-	-	-	-	13.1	12.7	33.7	-
2008	-	-	-	-	11.6	13.1	-	-
2009	11.9	12.2	-	-	21.6	21.7	-	-
2010	-	-	-	-	21.8	24.2	-	78.0
2011	21.0	24.6	-	-	13.1	14.7	-	-
2012	13.2	13.2	-	-	22.3	21.4	27.4	-
2013	23.0	23.4	-	-	15.4	17.2	-	-
2014	22.4	23.4	-	-	14.2	16.0	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 14 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR ORAL CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	13.9	13.9	9.1	-	22.0	24.3	-	99.3
2006	13.6	14.3	-	28.2	11.9	13.1	-	-
2007	13.8	14.9	7.1	-	18.7	18.6	31.4	80.8
2008	16.8	18.4	9.2	-	11.5	12.6	-	-
2009	20.8	22.1	8.8	-	9.5	10.7	-	-
2010	19.4	21.0	9.0	-	19.4	17.3	37.9	-
2011	11.5	12.1	-	55.5	4.5	1.7	16.0	-
2012	12.7	14.5	-	-	21.1	20.6	15.5	-
2013	13.8	11.7	17.0	19.8	9.4	10.4	-	-
2014	15.0	16.8	-	-	11.5	12.9	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	74.9	89.1	-	311.5	11.9	12.3	8.6	7.5
2006	38.8	24.5	99.4	-	12.2	12.6	8.8	8.3
2007	110.7	93.0	232.7	109.1	12.5	12.8	9.0	8.5
2008	74.3	61.8	89.0	-	12.8	13.1	9.0	7.8
2009	92.2	89.0	84.8	232.3	12.2	12.6	8.2	7.9
2010	68.5	62.5	107.5	-	12.4	13.0	7.9	8.3
2011	55.3	57.8	37.1	136.1	12.5	13.3	8.3	8.2
2012	89.9	94.2	62.6	74.5	12.8	13.5	7.8	8.3
2013	75.2	51.0	141.7	-	13.4	14.1	8.7	8.6
2014	70.7	68.3	102.7	397.4	12.4	13.0	8.0	6.8

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



OVARIAN CANCER

TABLE 15. AGE ADJUSTED RATES PER 100,000 POPULATION FOR OVARY CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	7.1	7.0	-	12.2	6.6	8.8	-	-
2006	6.7	6.6	3.0	-	3.3	7.7	-	-
2007	5.4	6.3	6.1	-	6.4	5.3	-	-
2008	5.6	6.5	2.4	11.9	2.6	6.4	-	-
2009	5.7	6.2	-	-	3.6	6.6	-	-
2010	5.2	6.3	8.4	-	6.3	5.2	14.5	-
2011	5.8	6.3	6.6	7.8	5.8	6.0	-	-
2012	5.6	6.0	9.1	-	-	4.7	-	-
2013	4.9	5.8	6.0	12.2	10.0	4.7	15.9	-
2014	2.5	5.5	-	-	5.3	2.3	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	22.2	7.6	22.8	101.6	-	23.2	-	-
2006	5.0	4.2	-	-	-	5.6	-	-
2007	1.3	8.0	-	-	-	1.6	-	-
2008	3.5	2.9	13.2	-	8.9	2.4	-	529.5
2009	5.7	4.1	-	-	3.5	6.8	-	-
2010	3.8	5.1	7.7	-	3.6	3.7	-	-
2011	2.0	6.6	-	-	6.0	2.4	-	-
2012	4.1	-	-	-	-	4.9	-	-
2013	1.2	9.0	-	-	3.0	1.4	-	-
2014	2.8	6.1	-	-	-	3.5	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 15 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR OVARY CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	16.2	-	-	-
2006	-	-	-	-	20.9	-	-	-
2007	4.0	-	-	-	-	4.1	-	-
2008	-	9.2	-	-	8.8	-	-	-
2009	3.8	3.6	-	-	6.8	3.9	20.0	-
2010	7.5	3.8	-	-	4.8	7.8	-	-
2011	16.9	6.3	-	-	-	17.7	-	-
2012	9.0	-	-	-	-	9.2	-	-
2013	15.1	3.2	-	-	9.1	15.7	-	-
2014	-	-	-	-	-	-	-	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	23.4	-	-	8.7	-	-	-
2006	-	27.3	-	-	11.4	-	-	-
2007	-	-	-	-	1.4	-	-	-
2008	-	11.1	-	-	6.9	-	29.4	96.4
2009	-	-	-	-	6.5	-	-	-
2010	-	6.3	-	-	4.4	-	-	-
2011	-	-	-	-	-	-	-	-
2012	-	-	-	-	1.8	-	-	-
2013	-	-	-	-	9.4	-	-	-
2014	9.3	-	-	380.7	-	9.5	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 15 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR OVARY CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	5.3	9.3	-	-	3.4	6.1	-	-
2006	6.2	10.7	15.7	-	5.4	4.2	-	-
2007	9.6	1.5	-	30.2	7.4	11.0	-	-
2008	3.6	5.8	-	-	5.0	4.3	-	-
2009	3.4	7.2	7.6	-	3.4	2.8	-	-
2010	11.7	5.1	24.2	65.6	10.3	10.5	-	-
2011	2.8	-	-	-	6.3	3.2	26.0	-
2012	4.5	2.0	9.6	-	5.9	4.4	-	-
2013	10.9	10.6	10.6	-	4.6	11.1	-	-
2014	3.1	-	-	-	7.9	3.5	19.0	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	3.7	-	-	6.7	-	4.8	4.9
2006	-	5.9	-	-	6.5	-	5.2	5.3
2007	-	8.2	-	-	6.3	-	4.7	5.0
2008	-	5.6	-	-	6.4	-	5.0	5.5
2009	10.3	3.6	-	-	6.0	11.9	4.1	4.9
2010	5.2	11.6	-	-	6.1	6.3	5.0	5.5
2011	-	5.2	-	-	6.1	-	5.4	5.3
2012	12.3	6.6	-	-	5.9	15.5	5.4	4.8
2013	-	5.1	-	-	5.8	-	5.3	4.8
2014	17.0	6.4	-	-	5.4	18.8	4.1	4.1

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



PANCREATIC CANCER

TABLE 16. AGE ADJUSTED RATES PER 100,000 POPULATION FOR PANCREAS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	11.5	11.5	12.9	19.2	6.2	7.2	-	-
2006	11.3	10.2	17.5	-	24.0	24.4	27.9	-
2007	14.1	15.1	12.5	13.8	12.6	11.0	35.7	-
2008	13.6	11.2	24.6	9.0	5.5	6.2	-	-
2009	11.5	11.5	15.2	12.7	15.9	18.3	-	-
2010	13.0	11.3	25.7	20.3	16.0	14.0	12.4	-
2011	14.2	16.0	8.2	-	8.7	10.1	-	-
2012	14.1	13.3	15.0	-	8.6	10.5	-	-
2013	14.6	14.2	21.6	10.1	10.6	12.0	-	-
2014	11.8	12.9	8.8	-	-	-	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	11.1	9.8	25.8	-	-	-	-	-
2006	16.0	18.5	-	-	19.9	20.9	-	-
2007	12.0	13.7	-	-	9.6	10.0	-	-
2008	13.9	14.5	13.2	-	-	-	-	-
2009	12.4	13.2	8.1	-	8.1	8.5	-	-
2010	8.9	10.2	-	-	6.6	7.0	-	-
2011	8.2	9.8	-	-	17.7	15.6	74.6	-
2012	12.5	11.9	7.6	-	14.0	14.9	-	-
2013	12.7	13.9	8.4	-	3.5	3.7	-	-
2014	9.7	6.1	35.2	-	-	-	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 16 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR PANCREAS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	5.2	5.4	-	-	21.4	11.0	20.0	-
2006	11.0	11.2	-	-	19.2	16.8	30.6	-
2007	5.8	5.9	-	-	15.1	8.5	26.3	-
2008	3.8	3.9	-	-	6.3	-	29.0	-
2009	3.6	3.8	-	-	-	-	-	-
2010	3.4	3.5	-	-	8.9	12.6	-	-
2011	26.4	27.6	-	-	7.4	10.1	-	-
2012	6.7	6.9	-	-	18.0	24.8	-	-
2013	24.0	24.9	-	-	4.5	6.4	-	-
2014	3.8	3.9	-	-	11.0	5.6	35.7	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	10.5	11.6	-	-
2006	13.3	13.6	-	-	9.1	8.2	30.2	-
2007	14.5	14.8	-	-	4.0	4.4	-	-
2008	12.3	12.4	-	-	11.4	10.9	20.9	-
2009	-	-	-	-	11.3	12.3	-	-
2010	-	-	-	-	11.7	12.9	-	-
2011	9.8	10.3	-	-	9.9	6.9	57.8	-
2012	-	-	-	-	12.8	12.7	16.5	-
2013	-	-	-	-	15.0	10.3	23.9	39.5
2014	-	-	-	-	7.4	8.1	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 16 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR PANCREAS CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	8.4	9.4	-	-	10.9	7.8	55.5	-
2006	13.1	13.3	8.3	-	22.6	24.7	-	-
2007	15.7	16.3	7.7	25.7	14.3	13.7	28.3	-
2008	12.1	10.8	22.0	-	6.7	7.3	-	-
2009	10.2	8.6	28.6	-	7.9	8.5	-	-
2010	11.1	12.8	-	-	8.4	7.4	28.4	-
2011	11.7	12.1	9.1	-	6.2	5.4	17.6	-
2012	7.1	6.2	16.5	28.7	19.7	21.8	-	-
2013	13.9	13.5	9.6	34.2	15.1	13.7	39.3	-
2014	6.5	5.6	19.2	-	7.2	7.9	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	31.5	37.4	-	-	11.4	11.0	13.0	9.9
2006	24.0	30.5	-	-	11.2	11.1	11.0	10.2
2007	38.6	35.9	49.0	-	10.9	10.6	12.1	9.2
2008	21.2	14.4	48.4	-	11.3	11.0	12.7	9.2
2009	27.1	25.4	-	141.4	11.5	11.2	12.4	10.9
2010	56.7	48.0	107.5	-	11.3	11.1	13.4	9.9
2011	40.8	34.0	102.1	109.1	11.6	11.6	12.7	10.5
2012	73.4	77.1	56.2	-	12.1	12.0	13.4	9.7
2013	16.7	14.9	19.3	-	12.1	12.2	11.3	10.7
2014	6.9	-	53.0	-	11.4	11.2	13.1	8.6

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



PROSTATE CANCER

TABLE 17. AGE ADJUSTED RATES PER 100,000 POPULATION FOR PROSTATE CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	66.2	62.6	92.2	46.4	45.0	44.4	55.2	-
2006	64.0	65.6	52.7	-	69.5	74.4	50.3	-
2007	83.0	79.8	106.1	57.4	61.8	56.6	127.7	-
2008	75.9	65.4	120.6	40.8	67.1	59.0	116.6	-
2009	63.5	54.6	116.5	23.0	79.1	62.9	141.0	-
2010	47.4	41.5	83.4	55.8	42.2	37.3	49.4	-
2011	57.3	53.2	88.7	22.7	44.7	43.0	49.4	-
2012	38.7	36.7	50.4	51.2	34.9	33.3	62.7	-
2013	39.8	37.0	50.6	22.4	37.4	20.5	139.9	-
2014	28.7	22.4	62.5	-	29.6	22.4	56.8	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	53.9	46.1	92.7	-	46.2	43.5	158.9	-
2006	40.8	40.4	19.5	-	29.0	30.1	-	-
2007	48.7	43.4	87.2	-	37.6	39.7	-	-
2008	44.7	43.1	55.7	63.5	36.6	26.2	146.8	-
2009	78.4	68.2	155.8	-	36.2	24.7	259.6	-
2010	56.3	54.2	70.7	-	38.4	35.7	-	-
2011	44.2	41.8	64.8	35.0	43.2	46.4	-	353.0
2012	42.7	40.2	49.2	39.8	20.5	21.5	-	-
2013	34.3	27.1	91.4	52.5	43.0	41.9	85.7	-
2014	36.7	28.8	89.5	25.9	21.8	22.8	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.

Prepared by: WellFlorida Council, 2016.



TABLE 17 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR PROSTATE CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	42.2	36.5	101.1	-	77.2	91.6	20.4	-
2006	47.1	48.8	-	-	71.7	71.1	86.0	-
2007	35.0	35.9	-	-	70.2	76.4	57.6	-
2008	63.9	61.6	-	353.0	68.3	61.9	97.7	-
2009	59.4	61.5	-	-	99.7	92.3	118.2	-
2010	14.8	15.3	-	-	35.0	34.2	44.2	-
2011	38.6	35.6	144.4	-	52.3	37.3	71.1	190.4
2012	32.9	28.9	179.2	-	22.7	5.8	60.2	-
2013	11.2	11.5	-	-	42.6	51.1	20.8	155.2
2014	26.5	27.2	-	-	47.3	28.2	107.3	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	57.2	59.0	-	-	47.9	49.8	25.0	-
2006	23.4	24.4	-	-	55.0	56.2	50.2	-
2007	26.8	29.9	-	-	64.4	59.3	154.1	77.9
2008	12.1	12.3	-	-	44.8	42.6	84.8	-
2009	51.7	55.1	-	-	52.0	51.2	69.4	-
2010	21.2	22.3	-	-	46.2	45.2	77.7	-
2011	9.8	-	-	311.5	22.8	22.3	44.2	-
2012	9.5	9.8	-	-	18.9	15.0	51.2	32.1
2013	9.7	10.6	-	-	35.9	29.1	113.2	43.2
2014	28.2	29.7	-	-	20.6	19.8	29.3	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 17 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR PROSTATE CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	56.5	45.4	101.5	-	53.0	53.6	60.1	-
2006	57.8	54.8	63.4	51.7	53.8	46.6	132.4	-
2007	64.7	62.0	92.6	-	45.4	48.1	-	-
2008	62.1	53.7	84.4	-	30.6	29.8	19.7	-
2009	63.8	58.5	88.9	27.3	41.9	37.9	66.8	-
2010	50.6	52.9	37.5	130.0	42.6	41.9	55.4	-
2011	66.3	61.0	113.2	92.7	54.1	48.6	117.0	-
2012	32.3	31.6	47.9	19.8	30.1	28.6	56.1	-
2013	34.7	20.5	48.1	45.7	38.3	39.2	16.4	50.4
2014	33.0	22.8	47.6	159.0	26.3	22.8	80.0	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	214.6	146.5	542.8	285.0	59.8	55.9	84.3	51.9
2006	180.8	161.2	270.3	-	58.9	55.6	76.2	48.8
2007	113.0	80.5	299.9	3,080.6	62.0	57.9	86.9	53.9
2008	152.7	93.5	464.6	-	57.0	52.8	87.7	49.3
2009	270.8	137.1	937.3	529.5	55.5	51.4	82.8	50.9
2010	142.7	72.1	409.2	80.8	52.1	48.5	77.2	44.5
2011	109.5	76.2	220.5	260.1	51.9	48.2	81.4	46.0
2012	113.3	58.3	329.9	74.5	43.0	39.7	70.1	36.9
2013	128.4	61.0	347.5	117.6	41.8	38.4	65.5	38.3
2014	78.2	36.2	257.8	75.7	31.8	29.1	47.3	25.6

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



STOMACH CANCER

TABLE 18. AGE ADJUSTED RATES PER 100,000 POPULATION FOR STOMACH CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Alachua County				Bradford County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	7.0	5.7	15.9	9.0	6.1	7.0	-	-
2006	6.6	5.6	16.8	-	15.5	14.2	23.9	-
2007	6.4	4.1	14.1	-	3.5	3.8	-	-
2008	3.5	3.8	2.5	-	-	-	-	-
2009	5.9	6.5	4.2	7.8	-	-	-	-
2010	6.5	6.0	11.6	15.1	3.4	3.8	-	-
2011	7.5	6.2	16.0	-	3.1	3.4	-	-
2012	5.2	2.5	18.5	-	-	-	-	-
2013	4.5	4.3	7.7	13.0	15.4	17.6	-	-
2014	4.7	4.2	8.3	19.1	-	-	-	-
Year	Columbia County				Dixie County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	2.7	1.3	13.5	-	-	-	-	-
2006	6.0	3.9	13.0	81.6	13.2	9.0	100.9	-
2007	5.3	6.2	-	-	-	-	-	-
2008	4.9	4.2	8.5	-	-	-	-	-
2009	4.8	4.2	9.7	-	13.6	14.3	-	-
2010	1.9	1.1	9.3	-	-	-	-	-
2011	5.2	3.4	15.9	-	-	-	-	-
2012	4.6	3.7	14.2	-	-	-	-	-
2013	5.8	6.8	-	-	-	-	-	-
2014	4.6	3.3	16.1	-	-	-	-	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 18 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR STOMACH CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Gilchrist County				Hamilton County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	-	-	-	-
2006	5.6	5.8	-	-	8.5	10.5	-	-
2007	-	-	-	-	15.7	-	59.8	-
2008	-	-	-	-	23.1	21.7	29.0	-
2009	5.8	6.2	-	-	-	-	-	-
2010	14.8	15.4	-	-	-	-	-	-
2011	-	-	-	-	4.7	6.2	-	-
2012	4.1	4.2	-	-	-	-	-	-
2013	15.4	15.9	-	-	5.6	7.3	-	-
2014	-	-	-	-	5.4	-	25.4	-
Year	La fayette County				Levy County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	-	-	-	-	1.7	1.8	-	-
2006	-	-	-	-	7.5	1.9	79.4	-
2007	-	-	-	-	3.1	3.2	-	-
2008	-	-	-	-	5.5	6.1	-	-
2009	-	-	-	-	3.3	3.5	-	-
2010	8.8	-	204.2	-	1.3	1.4	-	-
2011	-	-	-	-	10.0	11.0	-	-
2012	-	-	-	-	6.7	7.4	-	-
2013	-	-	-	-	1.5	1.6	-	-
2014	-	-	-	-	3.5	1.6	23.9	-

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



TABLE 18 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR STOMACH CANCER INCIDENCES BY RACE AND ETHNICITY, BY COUNTY AND FLORIDA, 2005-2014.

Year	Putnam County				Suwannee County			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	3.9	2.9	8.6	-	10.5	11.5	-	-
2006	3.4	2.9	10.0	-	5.4	3.9	25.8	-
2007	5.4	3.1	27.1	-	7.3	8.0	-	80.8
2008	8.8	9.4	6.7	-	5.1	3.8	28.3	-
2009	4.5	3.0	15.1	23.1	6.4	6.9	-	-
2010	5.8	5.3	7.3	-	6.0	3.3	42.9	-
2011	3.4	2.0	15.0	-	3.2	3.5	-	-
2012	5.3	4.3	9.9	-	7.7	8.4	-	-
2013	6.5	6.5	-	-	-	-	-	-
2014	3.4	3.8	-	-	1.6	1.8	-	-
Year	Union County				Florida			
	All Races	White	Black	Hispanic	All Races	White	Black	Hispanic
2005	22.2	15.6	76.1	285.0	6.1	5.5	11.0	7.3
2006	23.3	7.7	79.3	-	5.8	5.2	10.1	7.5
2007	-	-	-	-	5.9	5.2	11.4	7.0
2008	10.6	7.0	21.1	-	5.7	5.1	9.7	7.1
2009	17.5	-	83.3	-	5.8	5.1	10.0	7.8
2010	22.2	21.4	16.9	-	6.0	5.3	11.6	7.6
2011	29.2	19.9	59.5	109.1	5.9	5.3	10.2	6.9
2012	36.8	37.2	20.0	142.5	6.2	5.7	10.3	7.4
2013	24.5	20.5	19.3	134.2	5.7	5.2	9.5	7.2
2014	3.5	4.7	-	-	5.2	4.6	8.3	5.7

Source: Florida Cancer Data System,
<https://fcds.med.miami.edu/scripts/fcdspubrates/production/doSelection.aspx?selection=map>,
 assessed February 19, 2016.
 Prepared by: WellFlorida Council, 2016.



Age-Adjusted Cancer Death Rates by Race

TABLE 19. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR ALL RACES, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	All Causes		Trachea, Bronchus Lung Cancer		Colon, Rectum & Anus Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	1,119.0	152.1	332.0	44.4	119.0	16.5
Bradford	184.0	180.2	57.0	55.3	13.0	12.6
Columbia	502.0	191.9	187.0	69.8	39.0	15.5
Dixie	146.0	193.7	61.0	76.6	11.0	15.6
Gilchrist	135.0	195.2	49.0	69.0	12.0	16.5
Hamilton	100.0	189.3	34.0	60.1	8.0	14.4
Lafayette	39.0	152.1	14.0	54.5	6.0	23.3
Levy	360.0	196.2	144.0	75.1	39.0	22.9
Putnam	610.0	191.1	238.0	72.7	68.0	21.3
Suwannee	315.0	166.9	116.0	60.0	20.0	11.5
Union	187.0	379.9	68.0	136.4	28.0	58.0
NCFCCC Region	3,697.0	179.7	1,300.0	61.8	363.0	17.9
NCFCCC Region w/o Alachua	2,578.0	195.0	968.0	71.3	244.0	18.8
Florida	112,772.0	141.0	35,218.0	43.4	11,025.0	13.8

County	Breast Cancer		Pancreatic Cancer		Prostate Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	98.0	13.2	71.0	9.8	78.0	10.8
Bradford	12.0	12.9	10.0	9.6	9.0	8.7
Columbia	34.0	13.5	32.0	11.8	23.0	8.8
Dixie	8.0	11.2	6.0	7.0	15.0	21.0
Gilchrist	7.0	10.0	7.0	10.8	9.0	14.1
Hamilton	8.0	16.2	6.0	12.5	3.0	7.3
Lafayette	1.0	4.3	2.0	7.5	-	-
Levy	18.0	9.9	22.0	12.9	16.0	8.7
Putnam	30.0	9.9	29.0	8.7	26.0	7.9
Suwannee	15.0	7.8	22.0	10.8	19.0	9.7
Union	6.0	9.8	17.0	29.0	4.0	11.4
NCFCCC Region	237.0	11.7	224.0	10.9	202.0	10.0
NCFCCC Region w/o Alachua	139.0	10.9	153.0	11.5	124.0	9.4
Florida	8,520.0	11.0	8,486.0	10.4	6,269.0	7.5

Source: FloridaCHARTS.com
 Prepared by: WellFlorida Council, 2016.



TABLE 19 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR ALL RACES, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	Liver & Intrahepatic Bile Ducts Cancer		Non-Hodgkins Lymphoma		Leukemia	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	53.0	6.8	38.0	5.4	42.0	5.8
Bradford	3.0	2.4	7.0	7.1	9.0	8.6
Columbia	22.0	7.8	21.0	7.9	16.0	6.5
Dixie	9.0	12.5	2.0	2.9	4.0	4.7
Gilchrist	6.0	9.1	11.0	15.8	6.0	8.7
Hamilton	6.0	10.5	6.0	12.5	3.0	7.3
Lafayette	2.0	8.5	-	-	6.0	23.4
Levy	22.0	12.5	11.0	6.1	11.0	5.8
Putnam	27.0	8.5	28.0	9.5	29.0	9.2
Suwannee	18.0	9.2	16.0	8.3	10.0	5.1
Union	7.0	14.3	8.0	13.4	9.0	21.1
NCFCCC Region	175.0	8.2	148.0	7.4	145.0	7.3
NCFCCC Region w/o Alachua	122.0	9.0	110.0	8.6	103.0	8.1
Florida	4,944.0	6.1	4,446.0	5.6	5,035.0	6.4

County	Lip, Oral Cavity Pharynx Cancer		Bladder Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	31.0	3.9	37.0	5.2
Bradford	9.0	8.1	3.0	2.9
Columbia	11.0	4.3	19.0	7.6
Dixie	2.0	2.9	8.0	11.4
Gilchrist	3.0	4.1	1.0	1.7
Hamilton	5.0	9.3	1.0	1.4
Lafayette	3.0	11.7	1.0	3.3
Levy	9.0	4.3	10.0	5.4
Putnam	14.0	4.3	18.0	5.2
Suwannee	10.0	5.9	7.0	3.9
Union	8.0	15.0	1.0	4.3
NCFCCC Region	105.0	5.0	106.0	5.2
NCFCCC Region w/o Alachua	74.0	5.6	69.0	5.2
Florida	2,133.0	2.7	3,694.0	4.5

Source: FloridaCHARTS.com
 Prepared by: WellFlorida Council, 2016.



AGE-ADJUSTED DEATH RATES OF CANCER FOR WHITE RESIDENTS

TABLE 20. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR WHITES, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	All Causes		Trachea, Bronchus Lung Cancer		Colon, Rectum & Anus Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	879.0	147.8	267.0	44.3	91.0	15.7
Bradford	162.0	186.2	50.0	57.6	13.0	14.8
Columbia	428.0	188.7	163.0	70.5	33.0	15.1
Dixie	139.0	195.5	58.0	76.7	11.0	16.3
Gilchrist	130.0	194.8	47.0	68.3	11.0	15.8
Hamilton	77.0	196.3	23.0	52.9	8.0	19.7
Lafayette	38.0	156.2	13.0	51.5	6.0	25.9
Levy	333.0	197.4	135.0	76.4	37.0	24.1
Putnam	535.0	191.2	213.0	73.7	57.0	20.5
Suwannee	296.0	173.9	111.0	63.8	19.0	12.4
Union	134.0	349.1	52.0	131.8	15.0	42.8
NCFCCC Region	3,151.0	178.9	1,132.0	62.8	301.0	17.5
NCFCCC Region w/o Alachua	2,272.0	194.4	865.0	71.9	210.0	18.5
Florida	99,395.0	142.1	32,004.0	45.1	9,459.0	13.6
County	Breast Cancer		Pancreatic Cancer		Prostate Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	78.0	13.2	57.0	9.5	53.0	8.7
Bradford	8.0	10.3	10.0	11.1	5.0	5.4
Columbia	26.0	12.0	29.0	12.1	17.0	7.6
Dixie	7.0	11.0	6.0	7.4	14.0	20.7
Gilchrist	6.0	9.0	7.0	11.2	9.0	14.6
Hamilton	7.0	18.9	5.0	13.8	2.0	6.4
Lafayette	1.0	4.4	2.0	7.7	-	-
Levy	16.0	9.1	19.0	12.4	11.0	6.6
Putnam	28.0	10.3	24.0	8.2	18.0	6.4
Suwannee	13.0	7.3	20.0	10.8	18.0	10.1
Union	5.0	10.4	14.0	30.1	3.0	9.5
NCFCCC Region w/Alachua	195.0	11.3	193.0	10.8	150.0	8.6
NCFCCC Region w/o Alachua	117.0	10.3	136.0	11.4	97.0	8.4
Florida	7,150.0	10.6	7,510.0	10.5	5,147.0	6.9

Source: FloridaCHARTS.com
 Prepared by: WellFlorida Council, 2016.



TABLE 20 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR WHITES, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	Liver & Intrahepatic Bile Ducts Cancer		Non-Hodgkins Lymphoma		Leukemia	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	40.0	6.7	33.0	5.7	37.0	6.3
Bradford	2.0	2.0	7.0	8.1	7.0	7.3
Columbia	19.0	7.9	19.0	8.2	13.0	6.2
Dixie	8.0	11.9	2.0	3.0	4.0	5.0
Gilchrist	6.0	9.5	11.0	16.4	6.0	8.9
Hamilton	6.0	14.7	6.0	17.4	3.0	9.6
Lafayette	2.0	8.6	-	-	6.0	26.0
Levy	21.0	13.4	11.0	6.6	11.0	6.4
Putnam	25.0	9.3	24.0	9.4	27.0	9.7
Suwannee	18.0	10.1	16.0	9.1	9.0	5.2
Union	5.0	13.2	4.0	8.1	8.0	24.7
NCFCCC Region	152.0	8.5	133.0	7.7	131.0	7.6
NCFCCC Region w/o Alachua	112.0	9.5	100.0	8.8	94.0	8.3
Florida	4,267.0	6.1	3,982.0	5.6	4,501.0	6.5

County	Lip, Oral Cavity Pharynx Cancer		Bladder Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	22.0	3.5	32.0	5.4
Bradford	9.0	9.6	3.0	3.4
Columbia	8.0	3.4	18.0	8.3
Dixie	2.0	3.0	8.0	12.1
Gilchrist	3.0	4.2	1.0	1.7
Hamilton	3.0	6.2	1.0	2.0
Lafayette	3.0	12.0	1.0	3.4
Levy	8.0	4.0	10.0	5.9
Putnam	14.0	5.0	16.0	5.3
Suwannee	8.0	5.3	7.0	4.4
Union	6.0	14.3	1.0	4.7
NCFCCC Region w/Alachua	86.0	4.7	98.0	5.6
NCFCCC Region w/o Alachua	64.0	5.3	66.0	5.6
Florida	1,876.0	2.8	3,432.0	4.6

Source: FloridaCHARTS.com

Prepared by: WellFlorida Council, 2016.



AGE-ADJUSTED DEATH RATES OF CANCER FOR BLACK RESIDENTS

TABLE 21. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR BLACKS, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	All Causes		Trachea, Bronchus Lung Cancer		Colon, Rectum & Anus Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	224.0	196.8	63.0	52.3	25.0	22.5
Bradford	20.0	173.3	6.0	53.1	-	-
Columbia	65.0	207.7	23.0	75.8	5.0	15.7
Dixie	5.0	174.5	2.0	78.5	-	-
Gilchrist	5.0	382.1	2.0	142.0	1.0	75.2
Hamilton	21.0	163.8	9.0	67.2	-	-
Lafayette	1.0	298.9	1.0	298.9	-	-
Levy	22.0	169.8	7.0	55.1	2.0	16.1
Putnam	69.0	206.6	22.0	64.5	10.0	30.8
Suwannee	18.0	119.5	4.0	24.9	1.0	8.0
Union	51.0	480.9	16.0	168.8	12.0	116.7
NCFCCC Region	501.0	202.2	155.0	61.7	56.0	22.9
NCFCCC Region w/o Alachua	277.0	206.9	277.0	206.9	31.0	23.2
Florida	11,237.0	139.9	2,698.0	33.3	1,325.0	16.5

County	Breast Cancer		Pancreatic Cancer		Prostate Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	18.0	14.9	14.0	13.8	22.0	23.9
Bradford	4.0	32.0	-	-	4.0	34.6
Columbia	8.0	24.9	2.0	5.5	5.0	13.4
Dixie	1.0	35.7	-	-	-	-
Gilchrist	1.0	75.2	-	-	-	-
Hamilton	1.0	7.3	1.0	11.5	1.0	11.5
Lafayette	-	-	-	-	-	-
Levy	2.0	17.8	2.0	17.5	4.0	26.4
Putnam	2.0	6.0	5.0	14.7	8.0	23.6
Suwannee	2.0	14.1	2.0	13.3	1.0	7.1
Union	1.0	7.3	3.0	21.9	1.0	26.7
NCFCCC Region w/Alachua	40.0	15.3	29.0	12.9	46.0	20.7
NCFCCC Region w/o Alachua	22.0	15.5	1.0	0.5	10.0	7.2
Florida	1,185.0	14.3	822.0	10.4	1,012.0	14.2

Source: FloridaCHARTS.com

Prepared by: WellFlorida Council, 2016.

n has a higher burden of cancer than the state with all causes age-adjusted rate of 202.2, which is 30%



TABLE 21 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR BLACKS, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	Liver & Intrahepatic Bile Ducts Cancer		Non-Hodgkins Lymphoma		Leukemia	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	13.0	9.1	5.0	5.4	5.0	3.9
Bradford	1.0	5.6	-	-	1.0	11.7
Columbia	2.0	5.4	2.0	6.0	3.0	8.2
Dixie	1.0	35.7	-	-	-	-
Gilchrist	-	-	-	-	-	-
Hamilton	-	-	-	-	-	-
Lafayette	-	-	-	-	-	-
Levy	1.0	5.4	-	-	-	-
Putnam	2.0	5.9	3.0	8.9	2.0	6.4
Suwannee	-	-	-	-	1.0	6.2
Union	2.0	12.5	4.0	29.6	1.0	5.2
NCFCCC Region	22.0	7.3	14.0	5.8	13.0	5.0
NCFCCC Region w/o Alachua	5.0	3.3	5.0	3.8	9.0	7.2
Florida	517.0	5.9	355.0	4.3	437.0	5.5
County	Lip, Oral Cavity Pharynx Cancer		Bladder Cancer			
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate		
Alachua	7.0	4.6	4.0	4.6		
Bradford	-	-	-	-		
Columbia	2.0	9.2	1.0	3.5		
Dixie	-	-	-	-		
Gilchrist	-	-	-	-		
Hamilton	2.0	18.8	-	-		
Lafayette	-	-	-	-		
Levy	1.0	9.6	-	-		
Putnam	-	-	2.0	6.4		
Suwannee	2.0	12.3	-	-		
Union	2.0	15.0	-	-		
NCFCCC Region w/Alachua	16.0	6.1	7.0	3.5		
NCFCCC Region w/o Alachua	9.0	5.8	3.0	2.7		
Florida	217.0	2.5	223.0	3.0		

Source: FloridaCHARTS.com

Prepared by: WellFlorida Council, 2016.



AGE-ADJUSTED DEATH RATES OF CANCER FOR HISPANIC RESIDENTS

TABLE 22. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR HISPANICS, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	All Causes		Trachea, Bronchus Lung Cancer		Colon, Rectum & Anus Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	30.0	101.3	6.0	22.0	4.0	15.5
Bradford						
Columbia	4.0	48.5	-	-	2.0	22.6
Dixie						
Gilchrist	2.0	105.7	2.0	105.7	-	-
Hamilton	3.0	290.9	1.0	75.0	1.0	172.5
Lafayette	1.0	263.8	-	-	-	-
Levy	6.0	79.4	2.0	24.9	1.0	11.4
Putnam	16.0	163.4	1.0	8.6	4.0	44.1
Suwannee	9.0	148.9	1.0	12.3	1.0	8.5
Union	7.0	235.3	4.0	127.0	1.0	25.8
NCFCCC Region	78.0	111.2	17.0	22.6	14.0	20.6
NCFCCC Region w/o Alachua	48.0	120.0	11.0	22.5	10.0	25.6
FLORIDA	13,027.0	108.0	2,869.0	4.1	1,546.0	1.3
County	Breast Cancer		Pancreatic Cancer		Prostate Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	6.0	15.0	1.0	2.2	2.0	8.0
Bradford						
Columbia	-	-	-	-	-	-
Dixie						
Gilchrist	-	-	-	-	-	-
Hamilton	-	-	-	-	-	-
Lafayette	-	-	-	-	-	-
Levy	-	-	1.0	11.8	-	-
Putnam	1.0	6.9	3.0	38.7	-	-
Suwannee	1.0	20.9	2.0	42.1	-	-
Union	-	-	1.0	41.3	-	-
NCFCCC Region	8.0	9.3	8.0	12.3	2.0	3.8
NCFCCC Region w/o Alachua	2.0	5.2	7.0	20.8		
Florida	1,129.0	3.1	1,076.0	3.1	805.0	9.0

Source: FloridaCHARTS.com

Prepared by: WellFlorida Council, 2016.



TABLE 22 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR HISPANICS, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	Liver & Intrahepatic Bile Ducts Cancer		Non-Hodgkins Lymphoma		Leukemia	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	2.0	8.0	2.0	7.8	2.0	5.0
Bradford						
Columbia	2.0	25.9	-	-	-	-
Dixie						
Gilchrist	-	-	-	-	-	-
Hamilton	1.0	43.4	-	-	-	-
Lafayette	-	-	-	-	1.0	263.8
Levy	2.0	31.3	-	-	-	-
Putnam	1.0	13.4	1.0	4.0	2.0	20.6
Suwannee	2.0	39.0	-	-	-	-
Union	1.0	41.3	-	-	-	-
NCFCCC Region	11.0	17.1	3.0	3.9	5.0	7.3
NCFCCC Region w/o Alachua	9.0	24.1	1.0	1.1	3.0	9.6
Florida	771.0	1.5	627.0	2.9	669.0	0.9

County	Lip, Oral Cavity Pharynx Cancer		Bladder Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	2.0	8.0	-	-
Bradford			-	-
Columbia	-	-	-	-
Dixie			-	-
Gilchrist	-	-	-	-
Hamilton	-	-	-	-
Lafayette	-	-	-	-
Levy	-	-	-	-
Putnam	-	-	-	-
Suwannee	-	-	-	-
Union	-	-	-	-
NCFCCC Region	2.0	3.8	-	-
NCFCCC Region w/o Alachua	1.0		-	-
Florida	189.0	5.5	-	-

Source: FloridaCHARTS.com
 Prepared by: WellFlorida Council, 2016.



AGE-ADJUSTED DEATH RATES OF CANCER FOR MALES

TABLE 23. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR MALE, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	All Causes		Trachea, Bronchus Lung Cancer		Colon, Rectum & Anus Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	598.0	186.4	193.0	58.0	58.0	18.2
Bradford	108.0	228.1	39.0	80.3	7.0	15.7
Columbia	285.0	233.1	119.0	94.7	22.0	18.8
Dixie	93.0	250.0	38.0	94.1	8.0	23.9
Gilchrist	74.0	232.7	29.0	84.4	4.0	9.8
Hamilton	56.0	221.7	18.0	60.8	5.0	17.4
Lafayette	27.0	216.5	8.0	66.1	3.0	22.0
Levy	212.0	240.4	81.0	88.5	25.0	29.4
Putnam	341.0	225.6	143.0	92.1	33.0	22.9
Suwannee	191.0	219.7	73.0	82.1	10.0	11.8
Union	155.0	533.1	61.0	213.5	21.0	72.2
NCFCCC Region	2,140.0	224.4	802.0	81.7	196.0	20.7
NCFCCC Region w/o Alachua	1,542.0	244.0	609.0	93.4	138.0	22.2
Florida	60,700.0	168.4	19,586.0	53.5	5,900.0	16.5

County	Breast Cancer		Pancreatic Cancer		Prostate Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	2.0	0.6	33.0	10.8	78.0	26.5
Bradford	-	-	7.0	14.3	9.0	19.9
Columbia	-	-	16.0	12.2	23.0	20.1
Dixie	-	-	3.0	7.4	15.0	43.3
Gilchrist	-	-	4.0	13.4	9.0	32.9
Hamilton	-	-	4.0	19.9	3.0	18.3
Lafayette	-	-	2.0	15.9	-	-
Levy	-	-	15.0	19.0	16.0	18.9
Putnam	-	-	16.0	10.3	26.0	17.6
Suwannee	1.0	1.0	8.0	8.5	19.0	23.2
Union	1.0	2.7	16.0	41.0	4.0	25.1
NCFCCC Region	4.0	0.4	124.0	13.0	202.0	23.1
NCFCCC Region w/o Alachua	2.0	0.3	91.0	14.3	124.0	21.2
Florida	91.0	0.3	4,459.0	12.3	6,268.0	17.5

Source: FloridaCHARTS.com
 Prepared by: WellFlorida Council, 2016.



TABLE 23 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR MALE, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	Liver & Intrahepatic Bile Ducts Cancer		Non-Hodgkins Lymphoma		Leukemia	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	40.0	11.3	18.0	5.8	23.0	7.0
Bradford	3.0	4.8	3.0	6.9	6.0	12.6
Columbia	15.0	10.8	14.0	10.8	13.0	11.9
Dixie	6.0	16.6	1.0	2.1	3.0	7.3
Gilchrist	5.0	14.9	5.0	19.4	5.0	14.6
Hamilton	5.0	15.9	3.0	16.2	3.0	18.3
Lafayette	2.0	20.5	-	-	5.0	38.0
Levy	11.0	12.2	6.0	6.9	6.0	6.1
Putnam	19.0	11.8	15.0	10.2	19.0	13.2
Suwannee	16.0	17.6	11.0	12.6	6.0	7.2
Union	6.0	15.2	8.0	19.3	7.0	27.9
NCFCCC Region	128.0	12.3	84.0	9.0	96.0	10.5
NCFCCC Region w/o Alachua	88.0	13.0	66.0	10.7	73.0	12.2
Florida	3,373.0	9.1	2,544.0	7.2	3,014.0	8.6

County	Lip, Oral Cavity Pharynx Cancer		Bladder Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	22.0	6.2	27.0	9.5
Bradford	7.0	11.7	3.0	7.5
Columbia	9.0	7.3	13.0	11.7
Dixie	2.0	6.3	7.0	20.7
Gilchrist	3.0	8.5	1.0	3.6
Hamilton	3.0	9.8	1.0	2.8
Lafayette	2.0	15.9	1.0	6.6
Levy	6.0	5.6	7.0	7.9
Putnam	11.0	7.2	10.0	7.0
Suwannee	8.0	9.6	7.0	8.8
Union	7.0	20.9	1.0	12.9
NCFCCC Region	80.0	7.9	78.0	9.1
NCFCCC Region w/o Alachua	58.0	8.8	51.0	8.8
Florida	1,538.0	4.3	2,744.0	7.7

Source: FloridaCHARTS.com

Prepared by: WellFlorida Council, 2016.



AGE-ADJUSTED DEATH RATES OF CANCER FOR FEMALES

TABLE 24. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR FEMALE, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	All Causes		Trachea, Bronchus Lung Cancer		Colon, Rectum & Anus Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	521.0	127.2	139.0	34.0	61.0	14.6
Bradford	76.0	153.0	18.0	38.1	6.0	11.8
Columbia	217.0	158.2	68.0	48.3	17.0	13.4
Dixie	53.0	141.0	23.0	59.7	3.0	8.4
Gilchrist	61.0	162.3	20.0	56.7	8.0	22.3
Hamilton	44.0	178.0	16.0	63.7	3.0	10.6
Lafayette	12.0	93.8	6.0	42.0	3.0	24.3
Levy	148.0	155.2	63.0	61.8	14.0	16.5
Putnam	269.0	161.5	95.0	55.0	35.0	19.7
Suwannee	124.0	124.0	43.0	40.5	10.0	11.7
Union	32.0	175.7	7.0	33.9	7.0	38.3
NCFCCC Region	1,557.0	142.9	498.0	44.7	167.0	15.2
NCFCCC Region w/o Alachua	1,036.0	152.5	359.0	51.0	106.0	15.8
Florida	52,072.0	119.7	15,632.0	35.2	5,125.0	11.5
County	Breast Cancer		Pancreatic Cancer		Prostate Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	96.0	23.5	38.0	8.9	-	-
Bradford	12.0	23.5	3.0	4.8	-	-
Columbia	34.0	25.4	16.0	11.3	-	-
Dixie	8.0	24.0	3.0	6.5	-	-
Gilchrist	7.0	18.4	3.0	7.4	-	-
Hamilton	8.0	32.2	2.0	7.4	-	-
Lafayette	1.0	7.9	-	-	-	-
Levy	18.0	19.4	7.0	7.2	-	-
Putnam	30.0	18.7	13.0	7.6	-	-
Suwannee	14.0	13.8	14.0	12.3	-	-
Union	5.0	25.1	1.0	5.8	-	-
NCFCCC Region	233.0	21.7	100.0	8.8	-	-
NCFCCC Region w/o Alachua	137.0	20.8	62.0	8.7	-	-
Florida	8,249.0	20.2	4,027.0	8.9	-	-

Source: FloridaCHARTS.com

Prepared by: WellFlorida Council, 2016.



TABLE 24 CONT. AGE ADJUSTED RATES PER 100,000 POPULATION FOR TOP CANCER DEATHS FOR FEMALE, BY TYPE, BY COUNTY AND FLORIDA, 2012-2014.

County	Liver & Intrahepatic Bile Ducts Cancer		Non-Hodgkins Lymphoma		Leukemia	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	13.0	2.9	20.0	5.2	19.0	4.7
Bradford	-	-	4.0	6.6	3.0	5.4
Columbia	7.0	4.8	7.0	5.2	3.0	2.6
Dixie	3.0	8.4	1.0	3.2	1.0	2.1
Gilchrist	1.0	3.1	6.0	14.5	1.0	3.1
Hamilton	1.0	5.3	3.0	14.0	-	-
Lafayette	-	-	-	-	1.0	12.8
Levy	11.0	12.5	5.0	5.3	5.0	5.2
Putnam	8.0	5.5	13.0	8.9	10.0	5.8
Suwannee	2.0	2.0	5.0	4.8	4.0	3.6
Union	1.0	6.5	-	-	2.0	11.2
NCFCCC Region	47.0	4.4	64.0	6.0	49.0	4.6
NCFCCC Region w/o Alachua	34.0	5.2	44.0	6.7	30.0	4.5
Florida	1,571.0	3.5	1,902.0	4.2	2,021.0	4.6

County	Lip, Oral Cavity Pharynx Cancer		Bladder Cancer	
	Average Number	Age Adjusted Rate	Average Number	Age Adjusted Rate
Alachua	9.0	2.2	10.0	2.6
Bradford	2.0	3.7	-	-
Columbia	2.0	1.4	6.0	4.2
Dixie	-	-	1.0	2.1
Gilchrist	-	-	-	-
Hamilton	2.0	7.6	-	-
Lafayette	1.0	6.7	-	-
Levy	3.0	2.9	3.0	3.2
Putnam	3.0	1.7	8.0	4.2
Suwannee	2.0	3.0	-	-
Union	1.0	5.8	-	-
NCFCCC Region	25.0	2.4	28.0	2.4
NCFCCC Region w/o Alachua	16.0	2.4	18.0	2.4
Florida	595.0	1.4	950.0	2.0

Source: FloridaCHARTS.com

Prepared by: WellFlorida Council, 2016.



Behavioral Risk Factor Data (BRFSS)

ADULT HEALTH CANCER SCREENINGS

TABLE 25 . COMPARISON OF SELECTED ADULT'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Adults who have ever been told they had skin cancer	Adults who have ever been told they had any other type of cancer except skin cancer	Adults 50 years of age and older who have ever had a stool blood test	Adults 50 years of age and older who received a stool blood test in the past year
Alachua County	2002	NA	NA	48.3	22.6
	2007	NA	NA	45.8	21.1
	2010	NA	NA	38.6	9.1
	2013	8.8	7.8	34.6	5.3
Bradford County	2002	NA	NA	49.1	23.6
	2007	NA	NA	55.7	17.8
	2010	NA	NA	42.7	10.2
	2013	8.4	8.5	30.1	13.1
Columbia County	2002	NA	NA	52.8	34.7
	2007	NA	NA	60.6	28.9
	2010	NA	NA	43.3	17.5
	2013	12.4	10.9	44.4	19.1
Dixie County	2002	NA	NA	54.6	40.6
	2007	NA	NA	50.7	26.1
	2010	NA	NA	44.8	14
	2013	12.8	11.5	29.9	7.9
Gilchrist County	2002	NA	NA	54.4	30.6
	2007	NA	NA	53.8	15.4
	2010	NA	NA	41.4	9.3
	2013	15.1	7.8	41.3	11.3
Hamilton County	2002	NA	NA	25.7	17.2
	2007	NA	NA	37.3	22.2
	2010	NA	NA	35.6	14.7
	2013	8.3	5.5	31.9	12.1

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



TABLE 25 CONT. COMPARISON OF SELECTED ADULT'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past 5 years	Adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy	Adults aged 50 to 75 who had colorectal screening based on the most recent clinical guidelines, Overall
Alachua County	2002	45.2	52.9	NA
	2007	54.6	60.1	NA
	2010	54.5	66.8	NA
	2013	53.6	69.6	63.3
Bradford County	2002	38	48.1	NA
	2007	49.4	61	NA
	2010	55.7	75.6	NA
	2013	57.1	71	64.6
Columbia County	2002	44.1	55.8	NA
	2007	56.3	63	NA
	2010	50.9	66.7	NA
	2013	60.7	72	72.3
Dixie County	2002	36.1	53.8	NA
	2007	50	58	NA
	2010	49.2	58.6	NA
	2013	49.6	67.4	65
Gilchrist County	2002	40.6	48.7	NA
	2007	52.1	57.6	NA
	2010	41.5	54	NA
	2013	49.6	72.8	69.8
Hamilton County	2002	51.9	58.3	NA
	2007	46.8	52.3	NA
	2010	59.5	67.6	NA
	2013	52.8	70.4	66.9

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



TABLE 25 CONT. COMPARISON OF SELECTED ADULT'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Adults who have ever been told they had skin cancer	Adults who have ever been told they had any other type of cancer except skin cancer	Adults 50 years of age and older who have ever had a stool blood test	Adults 50 years of age and older who received a stool blood test in the past year
Lafayette County	2002	NA	NA	52.5	36.1
	2007	NA	NA	45.3	23
	2010	NA	NA	37	15.1
	2013	12.7	4.3	25.4	4.8
Levy County	2002	NA	NA	51.2	30.5
	2007	NA	NA	49.4	24.6
	2010	NA	NA	43.9	18.5
	2013	13.5	12.5	39.5	12.5
Putnam County	2002	NA	NA	43.4	24.5
	2007	NA	NA	40.5	15.4
	2010	NA	NA	45.6	13.1
	2013	15.3	8.6	33.1	13.5
Sumter County	2002	NA	NA	53.9	30.4
	2007	NA	NA	57.4	28.4
	2010	NA	NA	52.9	21.5
	2013	14.9	12.7	54.5	18.2
Union County	2002	NA	NA	40.6	21.1
	2007	NA	NA	53.1	23.4
	2010	NA	NA	41	17.7
	2013	12.3	3.4	30.3	12.8
Florida Measure	2002	NA	NA	44.4	24.7
	2007	NA	NA	45.6	21.2
	2010	NA	NA	42.5	14.7
	2013	9.2	7.6	37.6	13.9

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



TABLE 25 CONT. COMPARISON OF SELECTED ADULT'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past 5 years	Adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy	Adults aged 50 to 75 who had colorectal screening based on the most recent clinical guidelines, Overall
Lafayette County	2002	33.4	40.1	NA
	2007	50.1	57.8	NA
	2010	42.2	56.2	NA
	2013	50.4	59.3	54.7
Levy County	2002	38.5	48.7	NA
	2007	46.9	54.3	NA
	2010	48.5	62.1	NA
	2013	55.9	69.9	67.9
Putnam County	2002	35.3	42.8	NA
	2007	42.7	51.1	NA
	2010	53.7	67.3	NA
	2013	59.7	70.6	65.1
Sumter County	2002	50.8	58.1	NA
	2007	59.6	70	NA
	2010	63.7	73.3	NA
	2013	62.4	80.8	78.1
Union County	2002	40.8	48	NA
	2007	46	53.4	NA
	2010	42.7	57.8	NA
	2013	47	54.3	52.4
Florida Measure	2002	44.6	52.6	NA
	2007	53.7	63.1	NA
	2010	56.4	68.2	NA
	2013	55.3	69.3	64.7

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



WOMEN’S HEALTH CANCER SCREENINGS

TABLE 26 . COMPARISON OF SELECTED WOMEN'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Percentage of women 40 years of age and older who received a mammogram in the past year	Percentage of women 40 years of age and older who had a clinical breast exam in the past year	Percentage of women 18 years of age and older who had a clinical breast exam in the past year	Percentage of women 18 years of age and older who received a Pap test in the past year
Alachua County	2002	67.8	NA	NA	73.3
	2007	70.8	73.3	72.8	70.5
	2010	53.9	69.0	68.2	6.5
	2013	NA	60.1	48.5	36.7
Bradford County	2002	56.7	NA	NA	76.3
	2007	49.6	56.2	65.6	65.2
	2010	56.1	60.5	64.8	63.8
	2013	NA	54.6	50.2	45.5
Columbia County	2002	60.4	NA	NA	69.8
	2007	66.9	61.1	60.5	65.5
	2010	54.7	56.0	54.3	56.2
	2013	NA	55.1	57.8	53.7
Dixie County	2002	54.4	NA	NA	73.3
	2007	53.4	60.6	65.6	53.9
	2010	41.9	42.8	49.4	50.6
	2013	NA	49.9	54.1	49.1
Gilchrist County	2002	51.4	NA	NA	62.6
	2007	56.4	69.9	68.4	64.1
	2010	57.3	56.9	54.5	60.0
	2013	NA	53.4	58.2	50.9
Hamilton County	2002	66.8	NA	NA	81.1
	2007	48.5	59.1	59.3	58.9
	2010	49.3	54.2	54.7	56.3
	2013	NA	51.7	46.3	47.7

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



TABLE 26 CONT. COMPARISON OF SELECTED WOMEN'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Percentage of women who have had a hysterectomy	Percentage of women aged 50-74 who had a mammogram in the past 2 years	Percentage of women aged 21 to 65 who had a Pap test in the past 3 years	Percent of women aged 40 to 74 who received a mammogram in the past year
Alachua County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	17.7	NA	NA	NA
	2013	18.5	72.1	77.4	54.5
Bradford County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	30.0	NA	NA	NA
	2013	23.6	74.2	87.8	54.3
Columbia County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	27.7	NA	NA	NA
	2013	31.9	72.3	83.1	53.4
Dixie County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	31.9	NA	NA	NA
	2013	31.7	70.5	80.3	46.9
Gilchrist County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	23.0	NA	NA	NA
	2013	32.9	65.7	67.4	47.4
Hamilton County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	33.9	NA	NA	NA
	2013	31.9	74.8	77.7	56.0

NA: The question was not asked that year or data was not available at the county level that year.
 Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).
 Prepared by: WellFlorida Council, 2016.



TABLE 26 CONT. COMPARISON OF SELECTED WOMEN'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Percentage of women 40 years of age and older who received a mammogram in the past year	Percentage of women 40 years of age and older who had a clinical breast exam in the past year	Percentage of women 18 years of age and older who had a clinical breast exam in the past year	Percentage of women 18 years of age and older who received a Pap test in the past year
La Fayette County	2002	59.6	NA	NA	44.8
	2007	49.6	49.7	55.1	63.5
	2010	50.5	56.1	59.8	59.9
	2013	NA	71.2	62.7	64.7
Levy County	2002	56.7	NA	NA	66.6
	2007	52.5	52.9	58.0	56.1
	2010	50.9	54.0	52.7	50.9
	2013	NA	56.4	56.8	54.3
Putnam County	2002	54.8	NA	NA	63.2
	2007	60.9	65.7	65.5	63.2
	2010	58.2	58.9	56.3	56.6
	2013	NA	46.6	48.7	47.1
Sumter County	2002	68.7	NA	NA	59.5
	2007	74.8	78.2	70.8	65.9
	2010	61.5	59.8	55.9	60.2
	2013	NA	58.7	55.4	44.2
Union County	2002	48.8	NA	NA	68.7
	2007	49.0	69.9	69.7	71.8
	2010	55.8	57.1	55.5	47.9
	2013	NA	65.8	66.4	73.5
Florida Measure	2002	65.3	NA	NA	70.7
	2007	64.9	66.1	65.0	64.8
	2010	61.9	63.2	61.5	57.1
	2013	NA	58.8	56.0	51.4

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



TABLE 26 CONT. COMPARISON OF SELECTED WOMEN'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Percentage of women who have had a hysterectomy	Percentage of women aged 50-74 who had a mammogram in the past 2 years	Percentage of women aged 21 to 65 who had a Pap test in the past 3 years	Percent of women aged 40 to 74 who received a mammogram in the past year
Lafayette County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	32.7	NA	NA	NA
	2013	27.9	80.3	89.9	45.3
Levy County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	22.3	NA	NA	NA
	2013	27.9	62.2	81.6	45.5
Putnam County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	27.1	NA	NA	NA
	2013	27.5	74.6	80.0	52.3
Sumter County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	37.2	NA	NA	NA
	2013	33.8	82.6	80.1	69.8
Union County	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	32.9	NA	NA	NA
	2013	20.8	78.0	88.5	42.5
Florida Measure	2002	NA	NA	NA	NA
	2007	NA	NA	NA	NA
	2010	26.2	NA	NA	NA
	2013	24.7	77.4	80.1	57.5

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016



MEN'S HEALTH CANCER SCREENINGS

TABLE 27 . COMPARISON OF SELECTED MEN'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Men 50 years of age and older who received a PSA test in the past two years	Men 50 years of age and older who received a digital rectal exam in the past year	Men ages 50 year and older who have ever had a PSA test	Men ages 50 years and older who have ever had a digital rectal exam	Men 45 years of age and older who have been told they have prostate cancer
Alachua County	2002	NA	NA	NA	NA	NA
	2007	52.6	56.0	72.4	76.7	NA
	2010	68.0	48.9	83.4	81.0	3.2
	2013	NA	NA	NA	NA	NA
Bradford County	2002	NA	NA	NA	NA	NA
	2007	47.8	62.0	83.7	86.9	NA
	2010	56.1	38.7	76.9	88.3	3.8
	2013	NA	NA	NA	NA	NA
Columbia County	2002	NA	NA	NA	NA	NA
	2007	54.2	64.4	76.5	84.0	NA
	2010	71.9	51.1	76.4	83.5	3.7
	2013	NA	NA	NA	NA	NA
Dixie County	2002	NA	NA	NA	NA	NA
	2007	66.0	58.6	81.7	88.8	NA
	2010	71.5	45.4	86.2	86.4	10.8
	2013	NA	NA	NA	NA	NA
Gilchrist County	2002	NA	NA	NA	NA	NA
	2007	45.5	34.7	74.0	58.4	NA
	2010	61.8	52.8	74.3	91.9	5.8
	2013	NA	NA	NA	NA	NA
Hamilton County	2002	NA	NA	NA	NA	NA
	2007	49.5	55.4	79.2	81.0	NA
	2010	75.6	51.6	81.8	85.7	1.8
	2013	NA	NA	NA	NA	NA

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



TABLE 27 . CONT. COMPARISON OF SELECTED MEN'S HEALTH CANCER SCREENINGS INDICATORS BY COUNTY AND FLORIDA, 2002, 2007, 2010 AND 2013.

Area	Year	Men 50 years of age and older who received a PSA test in the past two years	Men 50 years of age and older who received a digital rectal exam in the past year	Men ages 50 year and older who have ever had a PSA test	Men ages 50 years and older who have ever had a digital rectal exam	Men 45 years of age and older who have been told they have prostate cancer
Lafayette County	2002	NA	NA	NA	NA	NA
	2007	63.8	51.2	77.8	71.7	NA
	2010	54.4	39.6	59.4	72.1	2.0
	2013	NA	NA	NA	NA	NA
Levy County	2002	NA	NA	NA	NA	NA
	2007	52.4	41.5	71.3	79.0	NA
	2010	69.2	39.0	76.4	77.2	6.4
	2013	NA	NA	NA	NA	NA
Putnam County	2002	NA	NA	NA	NA	NA
	2007	57.9	54.1	71.0	81.4	NA
	2010	64.3	44.0	81.9	79.1	12.3
	2013	NA	NA	NA	NA	NA
Sumter County	2002	NA	NA	NA	NA	NA
	2007	67.1	67.4	88.9	88.3	NA
	2010	74.5	58.9	78.8	90.2	5.3
	2013	NA	NA	NA	NA	NA
Union County	2002	NA	NA	NA	NA	NA
	2007	46.3	52.8	79.0	86.4	NA
	2010	68.2	52.4	72.4	86.9	4.4
	2013	NA	NA	NA	NA	NA
Florida Measure	2002	NA	NA	NA	NA	NA
	2007	60.2	56.3	81.0	83.6	NA
	2010	72.6	48.5	85.0	86.6	7.3
	2013	NA	NA	NA	NA	NA

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (March 20, 2016).

Prepared by: WellFlorida Council, 2016.



Cancer Discharges

TABLE 28. ALL CANCER DISCHARGES BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014.*

County/Area	Total Discharges	Average Discharges	Average Population	Rate Per 100,000 Population
Alachua	2,310	770	248,919	309.3
Bradford	263	88	27,606	317.6
Columbia	772	257	68,120	377.8
Dixie	243	81	16,488	491.3
Gilchrist	178	59	17,051	348.0
Hamilton	139	46	14,743	314.3
Lafayette	48	16	8,666	184.6
Levy	499	166	40,742	408.3
Putnam	939	313	73,072	428.3
Suwannee	549	183	44,353	412.6
Union	386	129	15,621	823.7
NCFCCC Region w/ Alachua	6,326	2,109	575,379	366.5
NCFCCC Region w/o Alachua	4,016	1,339	326,461	410.1
Florida	221,838	73,946	19,303,116	383.1

* Cancer Discharges are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 29. CANCER DISCHARGES BY RACE, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014.*

County/Area	Total Discharges	Average Discharges	Average Population	Rate Per 100,000 Population
White				
Alachua	1,692	564	176,781	319.0
Bradford	235	78	21,317	367.5
Columbia	631	210	53,565	392.7
Dixie	231	77	14,743	522.3
Gilchrist	169	56	15,740	357.9
Hamilton	94	31	9,462	331.1
Lafayette	44	15	7,247	202.4
Levy	445	148	35,568	417.0
Putnam	797	266	58,773	452.0
Suwannee	483	161	37,578	428.4
Union	244	81	11,775	690.7
NCFCCC Region w/ Alachua	5,065	1,688	442,550	381.5
NCFCCC Region w/o Alachua	3,373	1,124	265,769	423.0
Florida	174,595	58,198	15,113,474	385.1
Black				
Alachua	496	165	50,795	325.5
Bradford	27	9	5,645	159.4
Columbia	115	38	12,259	312.7
Dixie	10	3	1,372	242.9
Gilchrist	3	1	932	107.3
Hamilton	39	13	4,864	267.3
Lafayette	2	1	1,283	52.0
Levy	39	13	3,987	326.1
Putnam	106	35	12,164	290.5
Suwannee	40	13	5,440	245.1
Union	93	31	3,537	876.5
NCFCCC Region w/ Alachua	970	323	102,278	316.1
NCFCCC Region w/o Alachua	474	158	51,483	306.9
Florida	28,810	9,603	3,208,829	299.3

* Cancer Discharges are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 30. CANCER DISCHARGES BY SEX, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014.*

County/Area	Total Discharges	Average Discharges	Average Population	Rate Per 100,000 Population
Females				
Alachua	1,160	387	128,496	300.9
Bradford	137	46	12,212	373.9
Columbia	379	126	33,053	382.2
Dixie	125	42	7,654	544.4
Gilchrist	75	25	8,177	305.7
Hamilton	77	26	6,171	415.9
Lafayette	27	9	3,502	257.0
Levy	249	83	20,728	400.4
Putnam	469	156	36,910	423.6
Suwannee	300	100	21,511	464.9
Union	71	24	5,482	431.7
NCFCCC Region w/ Alachua	3,069	1,023	283,896	360.3
NCFCCC Region w/o Alachua	1,909	636	155,400	409.5
Florida	108,283	36,094	9,866,605	365.8
Males				
Alachua	1,150	383	120,423	318.3
Bradford	126	42	15,394	272.8
Columbia	393	131	35,066	373.6
Dixie	118	39	8,834	445.3
Gilchrist	103	34	8,874	386.9
Hamilton	62	21	8,572	241.1
Lafayette	21	7	5,164	135.5
Levy	250	83	20,014	416.4
Putnam	470	157	36,162	433.2
Suwannee	249	83	22,842	363.4
Union	315	105	10,138	1,035.7
NCFCCC Region w/ Alachua	3,257	1,086	291,483	372.5
NCFCCC Region w/o Alachua	2,107	702	171,060	410.6
Florida	113,553	37,851	19,436,511	194.7

* Cancer Discharges are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.
 Source: AHCA Detailed Discharge Data, 2012-2014.
 Prepared by: WellFlorida Council, 2016.



TABLE 31. CANCER DISCHARGES BY AGE GROUP, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014.*

County/Area	Total Discharges	Average Discharges	Average Population	Rate Per 100,000 Population
0-17 Years of Age				
Alachua	50	17	51,066	32.6
Bradford	4	1	5,470	24.4
Columbia	7	2	14,978	15.6
Dixie	2	1	3,034	22.0
Gilchrist	-	-	3,639	-
Hamilton	1	0	2,890	11.5
Lafayette	-	-	1,811	-
Levy	8	3	8,310	32.1
Putnam	9	3	16,192	18.5
Suwannee	8	3	9,563	27.9
Union	-	-	2,906	-
NCFCCC Region w/ Alachua	89	30	119,859	24.8
NCFCCC Region w/o Alachua	39	13	68,793	18.9
Florida	2,996	999	4,062,685	24.6
18 - 44 Years of Age				
Alachua	197	66	112,240	58.5
Bradford	13	4	10,209	42.4
Columbia	46	15	22,951	66.8
Dixie	5	2	4,988	33.4
Gilchrist	9	3	5,539	54.2
Hamilton	10	3	5,583	59.7
Lafayette	4	1	3,600	37.0
Levy	28	9	11,871	78.6
Putnam	60	20	21,505	93.0
Suwannee	38	13	14,446	87.7
Union	59	20	6,094	322.7
NCFCCC Region w/ Alachua	469	156	219,026	71.4
NCFCCC Region w/o Alachua	272	91	106,787	84.9
Florida	16,001	5,334	6,523,275	81.8

* Cancer Discharges are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 31 CONT. CANCER DISCHARGES BY AGE GROUP, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014.*

County/Area	Total Discharges	Average Discharges	Average Population	Rate Per 100,000 Population
45 - 64 Years of Age				
Alachua	972	324	55,374	585.1
Bradford	133	44	7,618	582.0
Columbia	315	105	18,953	554.0
Dixie	100	33	5,110	652.3
Gilchrist	70	23	4,768	489.4
Hamilton	58	19	4,083	473.5
Lafayette	13	4	2,104	205.9
Levy	176	59	12,264	478.4
Putnam	348	116	20,912	554.7
Suwannee	210	70	11,823	592.1
Union	224	75	4,906	1,522.0
NCFCCC Region w/ Alachua	2,619	873	147,914	590.2
NCFCCC Region w/o Alachua	1,647	549	92,540	593.3
Florida	82,669	27,556	5,209,375	529.0
65+ Years of Age				
Alachua	1,091	364	30,239	1,202.7
Bradford	113	38	4,309	874.1
Columbia	404	135	11,238	1,198.4
Dixie	136	45	3,355	1,351.1
Gilchrist	99	33	3,105	1,062.8
Hamilton	70	23	2,188	1,066.6
Lafayette	31	10	1,150	898.6
Levy	287	96	8,297	1,153.0
Putnam	522	174	14,463	1,203.0
Suwannee	293	98	8,521	1,146.2
Union	103	34	1,715	2,001.9
NCFCCC Region w/ Alachua	3,149	1,050	88,579	1,185.0
NCFCCC Region w/o Alachua	2,058	686	58,341	1,175.9
Florida	120,172	40,057	3,507,781	1,142.0

* Cancer Discharges are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.
 Source: AHCA Detailed Discharge Data, 2012-2014.
 Prepared by: WellFlorida Council, 2016.



Cancer-Related Emergency Room Visits (ED Visits)

TABLE 32. CANCER ED VISITS BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014*

County/Area	Total ED Visits	Average ED Visits	Average Population	Rate Per 100,000 Population
Alachua	105	35	248,919	14.1
Bradford	34	11	27,606	41.1
Columbia	105	35	68,120	51.4
Dixie	15	5	16,488	30.3
Gilchrist	11	4	17,051	21.5
Hamilton	20	7	14,743	45.2
Lafayette	3	1	8,666	11.5
Levy	44	15	40,742	36.0
Putnam	68	23	73,072	31.0
Suwannee	113	38	44,353	84.9
Union	8	3	15,621	17.1
NCFCCC Region w/ Alachua	526	175	575,379	30.5
NCFCCC Region w/o Alachua	421	140	326,461	43.0
Florida	13,636	4,545	19,303,116	23.5

* Cancer ED Visits are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.

Source: AHCA Emergency Department Visit Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 33. CANCER ED VISITS BY RACE, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014*

County/Area	Total ED Visits	Average ED Visits	Average Population	Rate Per 100,000 Population
White				
Alachua	56	19	176,781	10.6
Bradford	30	10	21,317	46.9
Columbia	92	31	53,565	57.3
Dixie	13	4	14,743	29.4
Gilchrist	11	4	15,740	23.3
Hamilton	11	4	9,462	38.8
Lafayette	3	1	7,247	13.8
Levy	36	12	35,568	33.7
Putnam	49	16	58,773	27.8
Suwannee	86	29	37,578	76.3
Union	5	2	11,775	14.2
NCFCCC Region w/ Alachua	392	131	442,550	29.5
NCFCCC Region w/o Alachua	336	112	265,769	42.1
Florida	10,057	3,352	15,113,474	22.2
Black				
Alachua	40	13	50,795	26.2
Bradford	4	1	5,645	23.6
Columbia	12	4	12,259	32.6
Dixie	1	0	1,372	24.3
Gilchrist	-	-	932	-
Hamilton	8	3	4,864	54.8
Lafayette	-	-	1,283	-
Levy	7	2	3,987	58.5
Putnam	15	5	12,164	41.1
Suwannee	23	8	5,440	140.9
Union	3	1	3,537	28.3
NCFCCC Region w/ Alachua	113	38	102,278	36.8
NCFCCC Region w/o Alachua	73	24	51,483	47.3
Florida	2,555	852	3,208,829	26.5

* Cancer ED Visits are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.

Source: AHCA Emergency Department Visit Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 34. CANCER ED VISITS BY SEX, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014*

County/Area	Total ED Visits	Average ED Visits	Average Population	Rate Per 100,000 Population
Females				
Alachua	50	17	128,496	13.0
Bradford	16	5	12,212	43.7
Columbia	46	15	33,053	46.4
Dixie	9	3	7,654	39.2
Gilchrist	3	1	8,177	12.2
Hamilton	6	2	6,171	32.4
Lafayette	1	0	3,502	9.5
Levy	23	8	20,728	37.0
Putnam	36	12	36,910	32.5
Suwannee	53	18	21,511	82.1
Union	3	1	5,482	18.2
NCFCCC Region w/ Alachua	246	82	283,896	28.9
NCFCCC Region w/o Alachua	196	65	155,400	42.0
Florida	6,392	2,131	9,866,605	21.6
Males				
Alachua	55	18	120,423	15.2
Bradford	18	6	15,394	39.0
Columbia	59	20	35,066	56.1
Dixie	6	2	8,834	22.6
Gilchrist	8	3	8,874	30.1
Hamilton	14	5	8,572	54.4
Lafayette	2	1	5,164	12.9
Levy	21	7	20,014	35.0
Putnam	32	11	36,162	29.5
Suwannee	60	20	22,842	87.6
Union	5	2	10,138	16.4
NCFCCC Region w/ Alachua	280	93	291,483	32.0
NCFCCC Region w/o Alachua	225	75	171,060	43.8
Florida	7,244	2,415	19,436,511	12.4

* Cancer ED Visits are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.
 Source: AHCA Emergency Department Visit Data, 2012-2014.
 Prepared by: WellFlorida Council, 2016.



TABLE 35. CANCER ED VISITS BY AGE, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014*

County/Area	Total ED Visits	Average ED Visits	Average Population	Rate Per 100,000 Population
0-17 Years of Age				
Alachua	9	3	51,066	5.9
Bradford	1	0	5,470	6.1
Columbia	-	-	14,978	-
Dixie	-	-	3,034	-
Gilchrist	-	-	3,639	-
Hamilton	-	-	2,890	-
Lafayette	-	-	1,811	-
Levy	3	1	8,310	12.0
Putnam	-	-	16,192	-
Suwannee	2	1	9,563	7.0
Union	-	-	2,906	-
NCFCCC Region w/ Alachua	15	5	119,859	4.2
NCFCCC Region w/o Alachua	6	2	68,793	2.9
Florida	409	136	4,062,685	3.4
18 - 44 Years of Age				
Alachua	14	5	112,240	4.2
Bradford	6	2	10,209	19.6
Columbia	12	4	22,951	17.4
Dixie	3	1	4,988	20.0
Gilchrist	-	-	5,539	-
Hamilton	1	0	5,583	6.0
Lafayette	-	-	3,600	-
Levy	8	3	11,871	22.5
Putnam	4	1	21,505	6.2
Suwannee	15	5	14,446	34.6
Union	3	1	6,094	16.4
NCFCCC Region w/ Alachua	66	22	219,026	10.0
NCFCCC Region w/o Alachua	52	17	106,787	16.2
Florida	1,600	533	6,523,275	8.2

* Cancer ED Visits are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.
 Source: AHCA Emergency Department Visit Data, 2012-2014.
 Prepared by: WellFlorida Council, 2016.



TABLE 35. CONT. CANCER ED VISITS BY AGE, BY COUNTY, NCFCCC REGION AND FLORIDA, 2012-2014*

County/Area	Total ED Visits	Average ED Visits	Average Population	Rate Per 100,000 Population
45 - 64 Years of Age				
Alachua	57	19	55,374	34.3
Bradford	20	7	7,618	87.5
Columbia	51	17	18,953	89.7
Dixie	7	2	5,110	45.7
Gilchrist	6	2	4,768	41.9
Hamilton	13	4	4,083	106.1
Lafayette	-	-	2,104	-
Levy	24	8	12,264	65.2
Putnam	26	9	20,912	41.4
Suwannee	43	14	11,823	121.2
Union	4	1	4,906	27.2
NCFCCC Region w/ Alachua	251	84	147,914	56.6
NCFCCC Region w/o Alachua	194	65	92,540	69.9
Florida	5,975	1,992	5,209,375	38.2
65+ Years of Age				
Alachua	25	8	30,239	27.6
Bradford	7	2	4,309	54.2
Columbia	42	14	11,238	124.6
Dixie	5	2	3,355	49.7
Gilchrist	5	2	3,105	53.7
Hamilton	6	2	2,188	91.4
Lafayette	3	1	1,150	87.0
Levy	9	3	8,297	36.2
Putnam	38	13	14,463	87.6
Suwannee	53	18	8,521	207.3
Union	1	0	1,715	19.4
NCFCCC Region w/ Alachua	194	65	88,579	73.0
NCFCCC Region w/o Alachua	169	56	58,341	96.6
Florida	5,652	1,884	3,507,781	53.7

* Cancer ED Visits are based on the ICD 9 Codes 140-209 in the principal diagnosis field only.

Source: AHCA Emergency Department Visit Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



Medical Oncology Discharges

TABLE 36 ALL MEDICAL ONCOLOGY DISCHARGES FOR ALACHUA COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	991	3,857	3.9
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	307	945	3.1
Red Blood Cell Disorders with MCC 811	236	1,281	5.4
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	132	586	4.4
Respiratory Neoplasms with MCC 180	116	890	7.7
Respiratory Neoplasms with CC 181	108	489	4.5
Digestive Malignancy with CC 375	84	400	4.8
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	78	339	4.3
Coagulation Disorders 813	72	289	4.0
Nervous System Neoplasms without MCC 055	70	237	3.4
Malignancy of Hepatobiliary System or Pancreas with MCC 435	67	400	6.0
Malignancy of Hepatobiliary System or Pancreas with CC 436	65	274	4.2
Digestive Malignancy with MCC 374	58	606	10.4
Nervous System Neoplasms with MCC 054	58	305	5.3
Lymphoma and Nonacute Leukemia with MCC 840	56	584	10.4
Acute Leukemia without Major O.R. Procedure with MCC 834	54	1,386	25.7
Lymphoma and Nonacute Leukemia with CC 841	51	251	4.9
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	46	489	10.6
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	45	158	3.5
Reticuloendothelial and Immunity Disorders with CC 815	37	140	3.8
Reticuloendothelial and Immunity Disorders without CC/MCC 816	35	87	2.5
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	31	152	4.9
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	29	87	3.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	28	170	6.1
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	27	439	16.3

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 36 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR ALACHUA COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	25	222	8.9
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	21	99	4.7
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	21	80	3.8
Digestive Malignancy without CC/MCC 376	19	55	2.9
Malignancy, Female Reproductive System with CC 755	19	89	4.7
Allogeneic Bone Marrow Transplant 014	18	902	50.1
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	18	62	3.4
Respiratory Neoplasms without CC/MCC 182	18	57	3.2
Reticuloendothelial and Immunity Disorders with MCC 814	16	215	13.4
Kidney and Urinary Tract Neoplasms with CC 687	15	59	3.9
Ear, Nose, Mouth and Throat Malignancy with CC 147	12	41	3.4
Malignant Breast Disorders with CC 598	12	78	6.5
Lymphoma and Nonacute Leukemia without CC/MCC 842	11	54	4.9
Malignancy, Female Reproductive System with MCC 754	10	61	6.1
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	10	59	5.9
Acute Leukemia without Major O.R. Procedure with CC 835	8	44	5.5
Malignancy, Male Reproductive System with CC 723	8	51	6.4
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	6	82	13.7
Malignancy, Male Reproductive System with MCC 722	6	29	4.8
Malignant Breast Disorders with MCC 597	6	18	3.0
Kidney and Urinary Tract Neoplasms without CC/MCC 688	5	7	1.4
Kidney and Urinary Tract Neoplasms with MCC 686	4	12	3.0
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	4	8	2.0
Malignancy, Female Reproductive System without CC/MCC 756	3	8	2.7
Ear, Nose, Mouth and Throat Malignancy with MCC 146	2	17	8.5
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	2	8	4.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	1	1	1.0
Malignant Breast Disorders without CC/MCC 599	1	2	2.0
Radiotherapy 849	1	3	3.0
Total	3,183	17,264	5.4

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 37 ALL MEDICAL ONCOLOGY DISCHARGES FOR BRADFORD COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	135	391	2.9
Red Blood Cell Disorders with MCC 811	52	227	4.4
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	22	67	3.0
Respiratory Neoplasms with CC 181	21	94	4.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	14	53	3.8
Nervous System Neoplasms without MCC 055	9	26	2.9
Respiratory Neoplasms with MCC 180	9	74	8.2
Lymphoma and Nonacute Leukemia with CC 841	7	40	5.7
Nervous System Neoplasms with MCC 054	7	30	4.3
Digestive Malignancy with CC 375	6	22	3.7
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	6	55	9.2
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	6	22	3.7
Reticuloendothelial and Immunity Disorders with CC 815	6	15	2.5
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	5	20	4.0
Coagulation Disorders 813	5	15	3.0
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	5	14	2.8
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	5	14	2.8
Digestive Malignancy with MCC 374	4	59	14.8
Lymphoma and Nonacute Leukemia with MCC 840	4	52	13.0
Malignancy of Hepatobiliary System or Pancreas with CC 436	4	24	6.0
Malignancy of Hepatobiliary System or Pancreas with MCC 435	4	21	5.3
Reticuloendothelial and Immunity Disorders without CC/MCC 816	4	9	2.3
Lymphoma and Nonacute Leukemia without CC/MCC 842	3	14	4.7
Malignancy, Female Reproductive System with MCC 754	3	14	4.7
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	3	8	2.7

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 37 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR BRADFORD COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Respiratory Neoplasms without CC/MCC 182	3	3	1.0
Acute Leukemia without Major O.R. Procedure with MCC 834	2	37	18.5
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	2	8	4.0
Digestive Malignancy without CC/MCC 376	2	9	4.5
Ear, Nose, Mouth and Throat Malignancy with CC 147	2	7	3.5
Kidney and Urinary Tract Neoplasms without CC/MCC 688	2	5	2.5
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	2	4	2.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	2	19	9.5
Acute Leukemia without Major O.R. Procedure with CC 835	1	5	5.0
Allogeneic Bone Marrow Transplant 014	1	36	36.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	1	6	6.0
Ear, Nose, Mouth and Throat Malignancy with MCC 146	1	4	4.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	1	1	1.0
Kidney and Urinary Tract Neoplasms with MCC 686	1	4	4.0
Malignancy, Female Reproductive System with CC 755	1	6	6.0
Malignancy, Male Reproductive System with CC 723	1	9	9.0
Malignancy, Male Reproductive System without CC/MCC 724	1	5	5.0
Malignant Breast Disorders with MCC 597	1	21	21.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	1	6	6.0
Reticuloendothelial and Immunity Disorders with MCC 814	1	4	4.0
Total	378	1,579	4.2

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 38 ALL MEDICAL ONCOLOGY DISCHARGES FOR COLUMBIA COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	340	1,075	3.2
Red Blood Cell Disorders with MCC 811	72	318	4.4
Respiratory Neoplasms with MCC 180	55	363	6.6
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	53	199	3.8
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	47	217	4.6
Respiratory Neoplasms with CC 181	46	234	5.1
Malignancy of Hepatobiliary System or Pancreas with CC 436	35	159	4.5
Coagulation Disorders 813	34	132	3.9
Digestive Malignancy with CC 375	31	149	4.8
Nervous System Neoplasms without MCC 055	30	82	2.7
Malignancy of Hepatobiliary System or Pancreas with MCC 435	28	143	5.1
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	25	153	6.1
Nervous System Neoplasms with MCC 054	19	87	4.6
Lymphoma and Nonacute Leukemia with CC 841	18	104	5.8
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	15	67	4.5
Reticuloendothelial and Immunity Disorders with CC 815	15	59	3.9
Lymphoma and Nonacute Leukemia with MCC 840	13	145	11.2
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	13	54	4.2
Malignancy, Female Reproductive System with CC 755	13	56	4.3
Acute Leukemia without Major O.R. Procedure with MCC 834	12	188	15.7
Digestive Malignancy with MCC 374	12	63	5.3
Digestive Malignancy without CC/MCC 376	11	41	3.7
Respiratory Neoplasms without CC/MCC 182	11	37	3.4
Kidney and Urinary Tract Neoplasms with CC 687	10	29	2.9
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	9	28	3.1

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 38 ALL MEDICAL ONCOLOGY DISCHARGES FOR COLUMBIA COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Lymphoma and Nonacute Leukemia without CC/MCC 842	8	33	4.1
Reticuloendothelial and Immunity Disorders with MCC 814	8	47	5.9
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	7	40	5.7
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	7	53	7.6
Reticuloendothelial and Immunity Disorders without CC/MCC 816	7	12	1.7
Ear, Nose, Mouth and Throat Malignancy with CC 147	6	27	4.5
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	5	36	7.2
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	4	15	3.8
Allogeneic Bone Marrow Transplant 014	4	160	40.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	4	10	2.5
Kidney and Urinary Tract Neoplasms with MCC 686	4	19	4.8
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	4	12	3.0
Acute Leukemia without Major O.R. Procedure with CC 835	3	11	3.7
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	3	71	23.7
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	3	8	2.7
Malignancy, Female Reproductive System without CC/MCC 756	3	12	4.0
Malignant Breast Disorders with CC 598	3	18	6.0
Malignant Breast Disorders without CC/MCC 599	3	10	3.3
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	2	34	17.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	2	6	3.0
Ear, Nose, Mouth and Throat Malignancy with MCC 146	2	22	11.0
Malignancy, Female Reproductive System with MCC 754	2	6	3.0
Malignancy, Male Reproductive System with CC 723	2	8	4.0
Malignant Breast Disorders with MCC 597	2	7	3.5
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	2	5	2.5
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	1	3	3.0
Malignancy, Male Reproductive System without CC/MCC 724	1	2	2.0
Total	1,069	4,869	4.6

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 39 ALL MEDICAL ONCOLOGY DISCHARGES FOR DIXIE COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	50	129	2.6
Respiratory Neoplasms with CC 181	18	87	4.8
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	13	71	5.5
Respiratory Neoplasms with MCC 180	10	65	6.5
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	9	31	3.4
Red Blood Cell Disorders with MCC 811	9	46	5.1
Nervous System Neoplasms with MCC 054	8	31	3.9
Nervous System Neoplasms without MCC 055	8	28	3.5
Malignancy of Hepatobiliary System or Pancreas with CC 436	7	24	3.4
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	6	19	3.2
Digestive Malignancy with CC 375	6	22	3.7
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	6	31	5.2
Malignancy of Hepatobiliary System or Pancreas with MCC 435	5	48	9.6
Lymphoma and Nonacute Leukemia with CC 841	4	30	7.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	4	32	8.0
Ear, Nose, Mouth and Throat Malignancy with CC 147	3	6	2.0
Kidney and Urinary Tract Neoplasms with CC 687	3	3	1.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	3	14	4.7
Reticuloendothelial and Immunity Disorders without CC/MCC 816	3	9	3.0
Acute Leukemia without Major O.R. Procedure with CC 835	2	15	7.5
Acute Leukemia without Major O.R. Procedure with MCC 834	2	38	19.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	2	39	19.5
Coagulation Disorders 813	2	9	4.5
Lymphoma and Nonacute Leukemia with MCC 840	2	22	11.0
Lymphoma and Nonacute Leukemia without CC/MCC 842	2	6	3.0

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 39 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR DIXIE COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	2	6	3.0
Malignancy, Male Reproductive System with CC 723	2	6	3.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	2	18	9.0
Reticuloendothelial and Immunity Disorders with CC 815	2	5	2.5
Reticuloendothelial and Immunity Disorders with MCC 814	2	4	2.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	1	3	3.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	1	6	6.0
Digestive Malignancy with MCC 374	1	6	6.0
Digestive Malignancy without CC/MCC 376	1	6	6.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	1	9	9.0
Kidney and Urinary Tract Neoplasms without CC/MCC 688	1	4	4.0
Malignancy, Female Reproductive System with MCC 754	1	5	5.0
Malignancy, Male Reproductive System with MCC 722	1	3	3.0
Malignant Breast Disorders with CC 598	1	11	11.0
Malignant Breast Disorders with MCC 597	1	3	3.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	1	3	3.0
Respiratory Neoplasms without CC/MCC 182	1	1	1.0
Total	209	954	4.6

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 40 ALL MEDICAL ONCOLOGY DISCHARGES FOR GILCHRIST COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	29	64	2.2
Respiratory Neoplasms with CC 181	19	67	3.5
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	12	37	3.1
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	11	47	4.3
Respiratory Neoplasms with MCC 180	10	50	5.0
Malignancy of Hepatobiliary System or Pancreas with MCC 435	9	44	4.9
Red Blood Cell Disorders with MCC 811	9	45	5.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	7	52	7.4
Coagulation Disorders 813	7	24	3.4
Malignancy of Hepatobiliary System or Pancreas with CC 436	6	23	3.8
Reticuloendothelial and Immunity Disorders without CC/MCC 816	6	16	2.7
Digestive Malignancy with CC 375	5	19	3.8
Nervous System Neoplasms without MCC 055	5	23	4.6
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	5	39	7.8
Reticuloendothelial and Immunity Disorders with CC 815	5	24	4.8
Digestive Malignancy with MCC 374	4	27	6.8
Lymphoma and Nonacute Leukemia with MCC 840	4	66	16.5
Nervous System Neoplasms with MCC 054	4	30	7.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	3	23	7.7
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	3	8	2.7
Ear, Nose, Mouth and Throat Malignancy with MCC 146	2	14	7.0
Lymphoma and Nonacute Leukemia with CC 841	2	9	4.5
Malignant Breast Disorders with MCC 597	2	11	5.5
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	2	17	8.5
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	2	5	2.5

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 40 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR GILCHRIST COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Respiratory Neoplasms without CC/MCC 182	2	5	2.5
Acute Leukemia without Major O.R. Procedure with CC 835	1	7	7.0
Acute Leukemia without Major O.R. Procedure with MCC 834	1	7	7.0
Ear, Nose, Mouth and Throat Malignancy with CC 147	1	3	3.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	1	-	-
Kidney and Urinary Tract Neoplasms with CC 687	1	2	2.0
Lymphoma and Nonacute Leukemia without CC/MCC 842	1	2	2.0
Malignancy, Female Reproductive System with CC 755	1	4	4.0
Malignancy, Female Reproductive System with MCC 754	1	3	3.0
Malignancy, Male Reproductive System with CC 723	1	8	8.0
Malignant Breast Disorders with CC 598	1	8	8.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	1	8	8.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	1	33	33.0
Radiotherapy 849	1	4	4.0
Reticuloendothelial and Immunity Disorders with MCC 814	1	3	3.0
Total	189	881	4.7

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 41. ALL MEDICAL ONCOLOGY DISCHARGES FOR HAMILTON COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	75	212	2.8
Respiratory Neoplasms with CC 181	11	76	6.9
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	10	84	8.4
Respiratory Neoplasms with MCC 180	9	54	6.0
Red Blood Cell Disorders with MCC 811	8	28	3.5
Coagulation Disorders 813	7	35	5.0
Nervous System Neoplasms without MCC 055	6	18	3.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	5	25	5.0
Lymphoma and Nonacute Leukemia with CC 841	5	32	6.4
Digestive Malignancy with CC 375	4	19	4.8
Malignancy of Hepatobiliary System or Pancreas with CC 436	4	21	5.3
Acute Leukemia without Major O.R. Procedure with MCC 834	3	57	19.0
Malignancy of Hepatobiliary System or Pancreas with MCC 435	3	17	5.7
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	3	22	7.3
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	3	3	1.0
Reticuloendothelial and Immunity Disorders with CC 815	3	5	1.7
Digestive Malignancy with MCC 374	2	22	11.0
Ear, Nose, Mouth and Throat Malignancy with MCC 146	2	22	11.0
Lymphoma and Nonacute Leukemia with MCC 840	2	10	5.0
Lymphoma and Nonacute Leukemia without CC/MCC 842	2	3	1.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	2	5	2.5
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	2	7	3.5
Malignancy, Male Reproductive System with CC 723	2	8	4.0
Respiratory Neoplasms without CC/MCC 182	2	5	2.5

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 41 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR HAMILTON COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Acute Leukemia without Major O.R. Procedure with CC 835	1	14	14.0
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	1	1	1.0
Allogeneic Bone Marrow Transplant 014	1	30	30.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	1	5	5.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	1	5	5.0
Digestive Malignancy without CC/MCC 376	1	1	1.0
Ear, Nose, Mouth and Throat Malignancy with CC 147	1	-	-
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	1	5	5.0
Malignancy, Female Reproductive System without CC/MCC 756	1	1	1.0
Malignant Breast Disorders with MCC 597	1	5	5.0
Nervous System Neoplasms with MCC 054	1	4	4.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	1	4	4.0
Total	187	865	4.6

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 42 ALL MEDICAL ONCOLOGY DISCHARGES FOR LAFAYETTE COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	26	62	2.4
Respiratory Neoplasms with CC 181	6	22	3.7
Coagulation Disorders 813	4	12	3.0
Digestive Malignancy with CC 375	4	13	3.3
Acute Leukemia without Major O.R. Procedure with MCC 834	3	74	24.7
Digestive Malignancy with MCC 374	2	27	13.5
Lymphoma and Nonacute Leukemia without CC/MCC 842	2	5	2.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	2	27	13.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	2	10	5.0
Red Blood Cell Disorders with MCC 811	2	5	2.5
Respiratory Neoplasms with MCC 180	2	26	13.0
Reticuloendothelial and Immunity Disorders with MCC 814	2	21	10.5
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	1	5	5.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	1	5	5.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	1	5	5.0
Lymphoma and Nonacute Leukemia with CC 841	1	5	5.0
Lymphoma and Nonacute Leukemia with MCC 840	1	11	11.0
Malignancy of Hepatobiliary System or Pancreas with MCC 435	1	6	6.0
Malignancy, Male Reproductive System with CC 723	1	6	6.0
Malignancy, Male Reproductive System with MCC 722	1	9	9.0
Nervous System Neoplasms with MCC 054	1	2	2.0
Nervous System Neoplasms without MCC 055	1	4	4.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	1	6	6.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	1	16	16.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	1	6	6.0
Reticuloendothelial and Immunity Disorders with CC 815	1	7	7.0
Reticuloendothelial and Immunity Disorders without CC/MCC 816	1	4	4.0
Total	72	401	5.6

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 43. ALL MEDICAL ONCOLOGY DISCHARGES FOR LEVY COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	130	365	2.8
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	41	163	4.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	31	89	2.9
Respiratory Neoplasms with MCC 180	24	194	8.1
Digestive Malignancy with CC 375	22	118	5.4
Red Blood Cell Disorders with MCC 811	22	88	4.0
Respiratory Neoplasms with CC 181	22	95	4.3
Nervous System Neoplasms with MCC 054	18	60	3.3
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	17	101	5.9
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	14	97	6.9
Malignancy of Hepatobiliary System or Pancreas with MCC 435	14	85	6.1
Coagulation Disorders 813	12	58	4.8
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	12	41	3.4
Malignancy of Hepatobiliary System or Pancreas with CC 436	12	75	6.3
Reticuloendothelial and Immunity Disorders without CC/MCC 816	11	24	2.2
Lymphoma and Nonacute Leukemia with CC 841	10	88	8.8
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	9	38	4.2
Nervous System Neoplasms without MCC 055	9	25	2.8
Reticuloendothelial and Immunity Disorders with CC 815	9	20	2.2
Digestive Malignancy with MCC 374	8	140	17.5
Malignancy, Female Reproductive System with CC 755	8	41	5.1
Acute Leukemia without Major O.R. Procedure with MCC 834	7	232	33.1
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	7	21	3.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	7	45	6.4
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	6	20	3.3
Digestive Malignancy without CC/MCC 376	5	10	2.0
Kidney and Urinary Tract Neoplasms with CC 687	5	22	4.4

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 43 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR LEVY COUNTY RESIDENTS,

MSDRG	Discharges	Patient Days	Average Length of Stay
Lymphoma and Nonacute Leukemia with MCC 840	5	29	5.8
Reticuloendothelial and Immunity Disorders with MCC 814	5	66	13.2
Ear, Nose, Mouth and Throat Malignancy with CC 147	4	10	2.5
Lymphoma and Nonacute Leukemia without CC/MCC 842	4	14	3.5
Malignancy, Female Reproductive System with MCC 754	4	48	12.0
Acute Leukemia without Major O.R. Procedure with CC 835	3	18	6.0
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	3	23	7.7
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	3	40	13.3
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	3	55	18.3
Ear, Nose, Mouth and Throat Malignancy with MCC 146	3	20	6.7
Kidney and Urinary Tract Neoplasms without CC/MCC 688	2	3	1.5
Malignant Breast Disorders with MCC 597	2	11	5.5
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	2	8	4.0
Allogeneic Bone Marrow Transplant 014	1	20	20.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	1	1	1.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	1	1	1.0
Kidney and Urinary Tract Neoplasms with MCC 686	1	6	6.0
Malignancy, Male Reproductive System with CC 723	1	-	-
Malignant Breast Disorders with CC 598	1	6	6.0
Malignant Breast Disorders without CC/MCC 599	1	1	1.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	1	4	4.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	1	3	3.0
Respiratory Neoplasms without CC/MCC 182	1	2	2.0
Total	545	2,744	5.0

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 44. ALL MEDICAL ONCOLOGY DISCHARGES FOR PUTNAM COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	222	705	3.2
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	91	336	3.7
Red Blood Cell Disorders with MCC 811	56	253	4.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	52	236	4.5
Respiratory Neoplasms with CC 181	48	221	4.6
Respiratory Neoplasms with MCC 180	40	250	6.3
Digestive Malignancy with CC 375	39	172	4.4
Nervous System Neoplasms with MCC 054	35	146	4.2
Malignancy of Hepatobiliary System or Pancreas with MCC 435	21	104	5.0
Acute Leukemia without Major O.R. Procedure with MCC 834	20	321	16.1
Malignancy of Hepatobiliary System or Pancreas with CC 436	19	69	3.6
Coagulation Disorders 813	18	90	5.0
Nervous System Neoplasms without MCC 055	18	64	3.6
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	18	125	6.9
Lymphoma and Nonacute Leukemia with CC 841	16	126	7.9
Lymphoma and Nonacute Leukemia with MCC 840	16	120	7.5
Lymphoma and Nonacute Leukemia without CC/MCC 842	15	66	4.4
Digestive Malignancy with MCC 374	14	119	8.5
Reticuloendothelial and Immunity Disorders with CC 815	14	40	2.9
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	13	78	6.0
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	11	25	2.3
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	9	41	4.6
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	8	51	6.4
Reticuloendothelial and Immunity Disorders without CC/MCC 816	8	18	2.3
Acute Leukemia without Major O.R. Procedure with CC 835	7	48	6.9
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	7	119	17.0
Kidney and Urinary Tract Neoplasms with CC 687	7	24	3.4

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 44 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR PUTNAM COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	7	64	9.1
Malignancy, Female Reproductive System with MCC 754	5	24	4.8
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	5	37	7.4
Allogeneic Bone Marrow Transplant 014	4	163	40.8
Digestive Malignancy without CC/MCC 376	4	13	3.3
Malignancy, Female Reproductive System with CC 755	4	5	1.3
Malignancy, Male Reproductive System with CC 723	4	13	3.3
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	4	14	3.5
Respiratory Neoplasms without CC/MCC 182	4	16	4.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	3	12	4.0
Ear, Nose, Mouth and Throat Malignancy with CC 147	3	9	3.0
Ear, Nose, Mouth and Throat Malignancy with MCC 146	3	20	6.7
Malignancy, Female Reproductive System without CC/MCC 756	3	7	2.3
Malignancy, Male Reproductive System with MCC 722	3	24	8.0
Malignant Breast Disorders with CC 598	3	13	4.3
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	2	6	3.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	2	2	1.0
Kidney and Urinary Tract Neoplasms without CC/MCC 688	2	11	5.5
Malignant Breast Disorders with MCC 597	2	10	5.0
Reticuloendothelial and Immunity Disorders with MCC 814	2	10	5.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	1	25	25.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	1	5	5.0
Kidney and Urinary Tract Neoplasms with MCC 686	1	6	6.0
Malignancy, Male Reproductive System without CC/MCC 724	1	-	-
Total	915	4,476	4.9

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 45. ALL MEDICAL ONCOLOGY DISCHARGES FOR SUWANNEE COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	211	525	2.5
Red Blood Cell Disorders with MCC 811	38	212	5.6
Digestive Malignancy with CC 375	35	152	4.3
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	35	157	4.5
Respiratory Neoplasms with MCC 180	33	185	5.6
Respiratory Neoplasms with CC 181	32	132	4.1
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	31	79	2.5
Coagulation Disorders 813	22	116	5.3
Malignancy of Hepatobiliary System or Pancreas with CC 436	19	100	5.3
Malignancy of Hepatobiliary System or Pancreas with MCC 435	16	97	6.1
Nervous System Neoplasms without MCC 055	13	41	3.2
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	12	38	3.2
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	12	50	4.2
Acute Leukemia without Major O.R. Procedure with MCC 834	11	362	32.9
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	11	86	7.8
Digestive Malignancy with MCC 374	10	69	6.9
Malignancy, Female Reproductive System with CC 755	9	50	5.6
Nervous System Neoplasms with MCC 054	9	10	1.1
Respiratory Neoplasms without CC/MCC 182	9	31	3.4
Acute Leukemia without Major O.R. Procedure with CC 835	7	101	14.4
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	7	54	7.7
Digestive Malignancy without CC/MCC 376	7	16	2.3
Lymphoma and Nonacute Leukemia with CC 841	7	34	4.9
Lymphoma and Nonacute Leukemia without CC/MCC 842	7	36	5.1
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	7	43	6.1
Lymphoma and Nonacute Leukemia with MCC 840	6	41	6.8
Reticuloendothelial and Immunity Disorders without CC/MCC 816	6	13	2.2
Ear, Nose, Mouth and Throat Malignancy with CC 147	5	30	6.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	5	22	4.4

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 45 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR SUWANNEE COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	3	33	11.0
Kidney and Urinary Tract Neoplasms with CC 687	3	9	3.0
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	3	14	4.7
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	3	22	7.3
Reticuloendothelial and Immunity Disorders with MCC 814	3	23	7.7
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	2	21	10.5
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	2	10	5.0
Malignancy, Female Reproductive System with MCC 754	2	26	13.0
Malignant Breast Disorders with CC 598	2	20	10.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	2	3	1.5
Reticuloendothelial and Immunity Disorders with CC 815	2	3	1.5
Allogeneic Bone Marrow Transplant 014	1	32	32.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	1	28	28.0
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	1	2	2.0
Ear, Nose, Mouth and Throat Malignancy with MCC 146	1	6	6.0
Kidney and Urinary Tract Neoplasms with MCC 686	1	4	4.0
Kidney and Urinary Tract Neoplasms without CC/MCC 688	1	1	1.0
Malignancy, Male Reproductive System with CC 723	1	6	6.0
Malignancy, Male Reproductive System without CC/MCC 724	1	1	1.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	1	18	18.0
Total	668	3,164	4.7

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 46. ALL MEDICAL ONCOLOGY DISCHARGES FOR UNION COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	89	392	4.4
Malignancy of Hepatobiliary System or Pancreas with CC 436	18	88	4.9
Malignancy of Hepatobiliary System or Pancreas with MCC 435	18	151	8.4
Digestive Malignancy with CC 375	15	61	4.1
Red Blood Cell Disorders with MCC 811	14	73	5.2
Respiratory Neoplasms with MCC 180	13	69	5.3
Coagulation Disorders 813	12	45	3.8
Digestive Malignancy with MCC 374	10	73	7.3
Acute Leukemia without Major O.R. Procedure with MCC 834	9	258	28.7
Nervous System Neoplasms with MCC 054	9	32	3.6
Respiratory Neoplasms with CC 181	9	60	6.7
Lymphoma and Nonacute Leukemia with CC 841	7	38	5.4
Nervous System Neoplasms without MCC 055	7	29	4.1
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	7	32	4.6
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	5	20	4.0
Digestive Malignancy without CC/MCC 376	4	4	1.0
Respiratory Neoplasms without CC/MCC 182	4	8	2.0
Acute Leukemia without Major O.R. Procedure with CC 835	3	64	21.3
Ear, Nose, Mouth and Throat Malignancy with CC 147	3	14	4.7
Lymphoma and Nonacute Leukemia with MCC 840	3	45	15.0
Lymphoma and Nonacute Leukemia without CC/MCC 842	3	13	4.3
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	3	3	1.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	3	15	5.0
Reticuloendothelial and Immunity Disorders without CC/MCC 816	3	5	1.7

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 46 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR UNION COUNTY RESIDENTS, 2012-2014.*

MSDRG	Discharges	Patient Days	Average Length of Stay
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	2	23	11.5
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	2	4	2.0
Ear, Nose, Mouth and Throat Malignancy with MCC 146	2	6	3.0
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	2	8	4.0
Kidney and Urinary Tract Neoplasms with MCC 686	2	13	6.5
Kidney and Urinary Tract Neoplasms without CC/MCC 688	2	3	1.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	2	26	13.0
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	2	18	9.0
Malignancy, Female Reproductive System with CC 755	2	17	8.5
Malignant Breast Disorders with CC 598	2	3	1.5
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	2	5	2.5
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	2	20	10.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	2	17	8.5
Allogeneic Bone Marrow Transplant 014	1	24	24.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	1	15	15.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	1	16	16.0
Malignancy, Male Reproductive System with CC 723	1	12	12.0
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	1	2	2.0
Radiotherapy 849	1	5	5.0
Reticuloendothelial and Immunity Disorders with MCC 814	1	3	3.0
Total	304	1,832	6.0

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 47. ALL MEDICAL ONCOLOGY DISCHARGES FOR NCFCC REGION WITH ALACHUA COUNTY RESIDENTS, 2012-2014. *

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	2,298	7,777	3.4
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	563	1,812	3.2
Red Blood Cell Disorders with MCC 811	518	2,576	5.0
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	362	1,661	4.6
Respiratory Neoplasms with CC 181	340	1,577	4.6
Respiratory Neoplasms with MCC 180	321	2,220	6.9
Digestive Malignancy with CC 375	251	1,147	4.6
Coagulation Disorders 813	195	825	4.2
Malignancy of Hepatobiliary System or Pancreas with CC 436	189	857	4.5
Malignancy of Hepatobiliary System or Pancreas with MCC 435	186	1,116	6.0
Nervous System Neoplasms without MCC 055	176	577	3.3
Nervous System Neoplasms with MCC 054	169	737	4.4
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	168	834	5.0
Lymphoma and Nonacute Leukemia with CC 841	128	757	5.9
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	127	1,054	8.3
Digestive Malignancy with MCC 374	125	1,211	9.7
Acute Leukemia without Major O.R. Procedure with MCC 834	124	2,960	23.9
Lymphoma and Nonacute Leukemia with MCC 840	112	1,125	10.0
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	105	361	3.4
Reticuloendothelial and Immunity Disorders with CC 815	94	318	3.4
Reticuloendothelial and Immunity Disorders without CC/MCC 816	84	197	2.3
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	61	513	8.4
Lymphoma and Nonacute Leukemia without CC/MCC 842	58	246	4.2
Malignancy, Female Reproductive System with CC 755	57	268	4.7
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	55	319	5.8
Respiratory Neoplasms without CC/MCC 182	55	165	3.0
Digestive Malignancy without CC/MCC 376	54	155	2.9
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	52	232	4.5
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	51	173	3.4

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 47 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR NCFCCC REGION WITH ALACHUA COUNTY RESIDENTS, 2012-2014. *

MSDRG	Discharges	Patient Days	Average Length of Stay
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	51	278	5.5
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	46	762	16.6
Kidney and Urinary Tract Neoplasms with CC 687	44	148	3.4
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	43	305	7.1
Reticuloendothelial and Immunity Disorders with MCC 814	41	396	9.7
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	41	132	3.2
Ear, Nose, Mouth and Throat Malignancy with CC 147	40	147	3.7
Acute Leukemia without Major O.R. Procedure with CC 835	36	327	9.1
Allogeneic Bone Marrow Transplant 014	31	1,367	44.1
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	28	195	7.0
Malignancy, Female Reproductive System with MCC 754	28	187	6.7
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	26	71	2.7
Malignant Breast Disorders with CC 598	25	157	6.3
Malignancy, Male Reproductive System with CC 723	24	127	5.3
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	18	148	8.2
Ear, Nose, Mouth and Throat Malignancy with MCC 146	18	131	7.3
Malignant Breast Disorders with MCC 597	17	86	5.1
Kidney and Urinary Tract Neoplasms without CC/MCC 688	15	34	2.3
Kidney and Urinary Tract Neoplasms with MCC 686	14	64	4.6
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	13	32	2.5
Malignancy, Male Reproductive System with MCC 722	11	65	5.9
Malignancy, Female Reproductive System without CC/MCC 756	10	28	2.8
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	9	39	4.3
Malignant Breast Disorders without CC/MCC 599	5	13	2.6
Malignancy, Male Reproductive System without CC/MCC 724	4	8	2.0
Radiotherapy 849	3	12	4.0
Total	7,719	39,029	5.1

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 48. ALL MEDICAL ONCOLOGY DISCHARGES FOR NCFCCC REGION WITHOUT ALACHUA COUNTY RESIDENTS, 2012-2014. *

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	1,307	3,920	3.0
Red Blood Cell Disorders with MCC 811	282	1,295	4.6
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	256	867	3.4
Respiratory Neoplasms with CC 181	232	1,088	4.7
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	230	1,075	4.7
Respiratory Neoplasms with MCC 180	205	1,330	6.5
Digestive Malignancy with CC 375	167	747	4.5
Malignancy of Hepatobiliary System or Pancreas with CC 436	124	583	4.7
Coagulation Disorders 813	123	536	4.4
Malignancy of Hepatobiliary System or Pancreas with MCC 435	119	716	6.0
Nervous System Neoplasms with MCC 054	111	432	3.9
Nervous System Neoplasms without MCC 055	106	340	3.2
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	90	495	5.5
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	81	565	7.0
Lymphoma and Nonacute Leukemia with CC 841	77	506	6.6
Acute Leukemia without Major O.R. Procedure with MCC 834	70	1,574	22.5
Digestive Malignancy with MCC 374	67	605	9.0
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	60	203	3.4
Reticuloendothelial and Immunity Disorders with CC 815	57	178	3.1
Lymphoma and Nonacute Leukemia with MCC 840	56	541	9.7
Reticuloendothelial and Immunity Disorders without CC/MCC 816	49	110	2.2
Lymphoma and Nonacute Leukemia without CC/MCC 842	47	192	4.1
Malignancy, Female Reproductive System with CC 755	38	179	4.7
Respiratory Neoplasms without CC/MCC 182	37	108	2.9
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	36	291	8.1
Digestive Malignancy without CC/MCC 376	35	100	2.9
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	33	111	3.4
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	31	152	4.9
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	30	179	6.0

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 48 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR NCFCCC REGION WITHOUT ALACHUA COUNTY RESIDENTS, 2012-2014. *

MSDRG	Discharges	Patient Days	Average Length of Stay
Kidney and Urinary Tract Neoplasms with CC 687	29	89	3.1
Acute Leukemia without Major O.R. Procedure with CC 835	28	283	10.1
Ear, Nose, Mouth and Throat Malignancy with CC 147	28	106	3.8
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	27	149	5.5
Reticuloendothelial and Immunity Disorders with MCC 814	25	181	7.2
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	22	63	2.9
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	19	323	17.0
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	18	136	7.6
Malignancy, Female Reproductive System with MCC 754	18	126	7.0
Malignancy, Male Reproductive System with CC 723	16	76	4.8
Ear, Nose, Mouth and Throat Malignancy with MCC 146	16	114	7.1
Malignant Breast Disorders with CC 598	13	79	6.1
Allogeneic Bone Marrow Transplant 014	13	465	35.8
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	12	66	5.5
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	12	153	12.8
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	12	31	2.6
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	12	45	3.8
Malignant Breast Disorders with MCC 597	11	68	6.2
Kidney and Urinary Tract Neoplasms without CC/MCC 688	10	27	2.7
Kidney and Urinary Tract Neoplasms with MCC 686	10	52	5.2
Malignancy, Female Reproductive System without CC/MCC 756	7	20	2.9
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	7	31	4.4
Malignancy, Male Reproductive System with MCC 722	5	36	7.2
Malignant Breast Disorders without CC/MCC 599	4	11	2.8
Malignancy, Male Reproductive System without CC/MCC 724	4	8	2.0
Radiotherapy 849	2	9	4.5
Total	4,536	21,765	4.8

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 49. ALL MEDICAL ONCOLOGY DISCHARGES FOR FLORIDA RESIDENTS, 2012-2014. *

MSDRG	Discharges	Patient Days	Average Length of Stay
Red Blood Cell Disorders with out MCC 812	74,723	263,019	3.5
Chemotherapy without Acute Leukemia as Secondary Diagnosis with CC 847	18,816	70,821	3.8
Red Blood Cell Disorders with MCC 811	14,692	82,013	5.6
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with CC 809	13,188	64,075	4.9
Respiratory Neoplasms with CC 181	11,065	56,192	5.1
Respiratory Neoplasms with MCC 180	9,582	67,234	7.0
Digestive Malignancy with CC 375	8,891	49,027	5.5
Coagulation Disorders 813	7,025	28,774	4.1
Malignancy of Hepatobiliary System or Pancreas with CC 436	6,936	34,565	5.0
Malignancy of Hepatobiliary System or Pancreas with MCC 435	6,322	43,958	7.0
Nervous System Neoplasms with MCC 054	5,832	30,343	5.2
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with CC 543	5,618	30,395	5.4
Nervous System Neoplasms without MCC 055	5,481	21,461	3.9
Lymphoma and Nonacute Leukemia with CC 841	4,767	31,256	6.6
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation with MCC 808	4,112	35,415	8.6
Digestive Malignancy with MCC 374	3,804	33,067	8.7
Lymphoma and Nonacute Leukemia with MCC 840	3,549	39,804	11.2
Chemotherapy with Acute Leukemia as Secondary Diagnosis without CC/MCC 839	3,202	13,861	4.3
Major Hematologic/Immunologic Diagnoses Except Sickle Cell Crisis and Coagulation without CC/MCC 810	3,158	10,261	3.2
Reticuloendothelial and Immunity Disorders with CC 815	2,704	11,390	4.2
Acute Leukemia without Major O.R. Procedure with MCC 834	2,510	53,096	21.2
Reticuloendothelial and Immunity Disorders without CC/MCC 816	2,475	6,969	2.8
Chemotherapy without Acute Leukemia as Secondary Diagnosis with MCC 846	2,388	20,697	8.7
Malignancy, Female Reproductive System with CC 755	2,340	11,719	5.0
Lymphoma and Nonacute Leukemia without CC/MCC 842	2,116	8,541	4.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis or with High Dose Chemotherapy Agent with MCC 837	1,996	42,276	21.2
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy without CC/MCC 544	1,930	6,639	3.4
Pathological Fractures and Musculoskeletal and connective Tissue Malignancy with MCC 542	1,902	16,741	8.8
Acute Leukemia without Major O.R. Procedure with CC 835	1,888	20,027	10.6

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.



TABLE 49 CONT. ALL MEDICAL ONCOLOGY DISCHARGES FOR FLORIDA RESIDENTS, 2012-2014. *

MSDRG	Discharges	Patient Days	Average Length of Stay
Chemotherapy without Acute Leukemia as Secondary Diagnosis without CC/MCC 848	1,785	5,393	3.0
Chemotherapy with Acute Leukemia as Secondary Diagnosis with CC or High Dose Chemotherapy Agent 838	1,766	15,514	8.8
Respiratory Neoplasms without CC/MCC 182	1,743	5,546	3.2
Kidney and Urinary Tract Neoplasms with CC 687	1,688	7,676	4.5
Digestive Malignancy without CC/MCC 376	1,492	5,416	3.6
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with CC 844	1,470	7,718	5.3
Malignancy of Hepatobiliary System or Pancreas without CC/MCC 437	1,459	5,128	3.5
Malignant Breast Disorders with CC 598	1,185	5,838	4.9
Ear, Nose, Mouth and Throat Malignancy with CC 147	1,092	6,569	6.0
Allogeneic Bone Marrow Transplant 014	980	31,975	32.6
Acute Leukemia without Major O.R. Procedure without CC/MCC 836	951	5,071	5.3
Malignancy, Male Reproductive System with CC 723	795	3,909	4.9
Reticuloendothelial and Immunity Disorders with MCC 814	782	5,583	7.1
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses with MCC 843	734	6,009	8.2
Malignancy, Female Reproductive System with MCC 754	670	5,388	8.0
Kidney and Urinary Tract Neoplasms with MCC 686	600	4,250	7.1
Ear, Nose, Mouth and Throat Malignancy with MCC 146	537	4,970	9.3
Ear, Nose, Mouth and Throat Malignancy without MCC/CC 148	503	1,993	4.0
Kidney and Urinary Tract Neoplasms without CC/MCC 688	500	1,364	2.7
Radiotherapy 849	475	2,068	4.4
Malignant Breast Disorders with MCC 597	472	3,220	6.8
Other Myeloproliferative Disorders or Poorly Differentiated Neoplasm Diagnoses without CC/MCC 845	471	1,602	3.4
Malignancy, Female Reproductive System without CC/MCC 756	422	1,223	2.9
Malignancy, Male Reproductive System with MCC 722	251	1,714	6.8
Malignant Breast Disorders without CC/MCC 599	213	588	2.8
Malignancy, Male Reproductive System without CC/MCC 724	161	401	2.5
Total	256,209	1,349,762	5.3

* Oncology MSDRGs are: 9, 14-15, 54-55, 146-148, 180-182, 374-376, 435-437, 542-544, 597-599, 686-688, 722-724, 754-756, 808-816, 834-849.

Source: AHCA Detailed Discharge Data, 2012-2014.

Prepared by: WellFlorida Council, 2016.